



RUGER[®]

2012

FIREARMS
CATALOG





RUGER®

PEPPER SPRAY PRODUCTS

THE **TORNADO**® PERSONAL DEFENSE SYSTEM

FAMILY OF PERSONAL DEFENSE
PEPPER SPRAY PRODUCTS

**HAVE A PLAN
AND ALWAYS
BE PREPARED!**



Powered by Tornado®

WWW.RUGER.COM/TORNADO



THE **RUGER**® **BX-25**®

GENUINE RUGER® FACTORY MAGAZINE

We've Taken a **NEW ANGLE** on the 25-Round 10/22® Magazine.

The Ruger® BX-25® magazine offers all of the rimfire autoloading reliability of the original Ruger® rotary magazine, the gold standard in rimfire autoloading magazines. The BX-25® is designed to present cartridges into the action at a 30° angle, the same way the 10/22® action is designed to accept them, increasing feed reliability. BX-25® magazines will work with any factory original .22 LR Ruger® 77/22® Rifle, 10/22® Rifle, SR-22® Rifle and 22 Charger™ Pistol.

A V A I L A B L E A T S H O P R U G E R . C O M





2012 RETAILER COUNTER REFERENCE GUIDE

T A B L E O F C O N T E N T S

SR1911™ Centerfire Pistol	3-4	New Bearcat® Single-Action Revolvers	49-50
LC9™ Centerfire Pistols	5-6	22 Charger™ Rimfire Pistols	51-52
LCP® Centerfire Pistols	7-8	About the Web: Visit Ruger.com Today	53-54
SR40c™ Centerfire Pistols	9-10	Ruger 10/22 Takedown™	55-56
SR40® Centerfire Pistols	11-12	10/22® Autoloading Rifles	57-60
SR9c™ Centerfire Pistols	13-14	SR-22® Autoloading Rifles	61-62
SR9® Centerfire Pistols	15-16	SR-556E® Autoloading Rifles	63-64
P-Series Centerfire Pistols	17-18	SR-556® Autoloading Rifles	65-66
SR22™	19-20	SR-556® Carbine Autoloading Rifles	67
Ruger 22/45 Lite™	21-22	SR-556® Autoloading Rifles Features	68
22/45™ Rimfire Pistols	23-26	Mini-14® and Mini Thirty® Autoloading Rifles	69-72
Mark III™ Rimfire Pistols	27-30	Gunsite Scout Rifles	73-74
LCR® Double-Action Revolvers	31-32	Ruger American Rifle™	75-76
SP101® Double-Action Revolvers	33-34	M77® Hawkeye® Bolt-Action Rifles	77-84
GP100® Double-Action Revolvers	35-36	M77® Mark II™ Target Rifles	85-86
Super Redhawk® Double-Action Revolvers	37-38	Rotary Magazine Bolt-Action Rifles	87-90
Redhawk® Double-Action Revolvers	39-40	No.1 Single-Shot Rifles	91-95
Vaquero® Single-Action Revolvers	41-42	Magazines	97-98
New Model Super Blackhawk® Single-Action Revolvers	43-44	Scope Rings	99-100
New Model Blackhawk® Single-Action Revolvers	45-46	Contact Information	101
New Model Single-Six® and Single-Ten® Single-Action Revolvers	47-48	Legal Information	102

THE **RUGER**® SR1911™



Superior Slide-to-Frame Fit




Stainless Steel Barrel and Bushing



NEW

SR1911 • .45 Auto

WWW.RUGER.COM/SR1911





Oversized Beavertail Grip Safety



Comes with Two Magazines (One 7-Round and One 8-Round)

The Ruger® SR1911™ is a classically styled pistol designed with all of the modern manufacturing advances that you have come to expect from Ruger®.

FEATURES:

- Classic, original 1911 Series 70 design provides for easy takedown/reassembly.
- Precision CNC-controlled machining process results in a superior slide-to-frame fit and smooth slide travel.
- The stainless steel barrel and bushing are produced from the same bar stock, on the same machine, for improved accuracy.
- Positive barrel lock-up allows for superior accuracy out-of-the-box.
- Oversized ejection port and extended magazine release enhance competition performance.
- Slim, traditional design with hardwood grip panels and checkered backstrap.
- Lightweight, aluminum, skeletonized trigger features an adjustable over-travel stop and provides a very crisp, no creep, light trigger pull with a quick, positive reset.
- Skeletonized hammer is lightweight and provides faster cycling.
- Dovetailed, 3-dot sight system features a Novak® LoMount Carry, windage adjustable rear and standard front sight that combines optimal target acquisition in an ideal carry configuration.
- Oversized beavertail grip safety provides positive function and reliability.
- Extended thumb safety and slide stop lever provide for improved, positive manipulation.
- Integral plunger tube for slide stop and thumb safety is not staked and will never come loose.
- Features a standard recoil guide system and flat mainspring housing.
- Visual inspection port allows for visual confirmation of the load status of the pistol.
- Stainless steel frame and slide feature a blasted, low-glare finish.
- Rear slide serrations allow for positive grip.
- Accepts all standard, aftermarket 1911 parts and accessories.
- Also Includes: titanium firing pin; one 7-round and one 8-round stainless steel magazine; bushing wrench; soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity *	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height **	Width	Weight †	Suggested Retail
SR1911	6700	.45 Auto	8+1	5.00"	Stainless Steel/ Low-Glare Stainless	Low-Glare Stainless Steel	Novak® LoMount Carry Rear/ Standard Front	8.67"	5.45"	1.34"	39 oz.	\$799.00

NEW

* Ships with two magazines, one 7-round and one 8-round.

** Without magazine.

† With 7-round magazine.

RUGGED, RELIABLE FIREARMS



THE RUGER® LC9™



Finger Grip Extension Floorplate can be Added to the Magazine for Comfort and Grip, Included FREE




Dovetailed, High-Visibility 3-Dot Sight System



LC9 • 9mm Luger



2011 Handgun
of the Year





The NEW Ruger® LC9™ with LaserMax CenterFire™ Laser



Checkered Grip Frame

The Ruger® LC9™ is compact, powerful and perfect for personal protection.

FEATURES:

- Compact, the LC9™ is just slightly larger (less than 1" taller and 1" longer) than the popular LCP®.
- Rugged construction with blued, through-hardened alloy steel slide and black, one-piece, high-performance, glass-filled nylon grip frame.
- Checkered grip frame provides a secure and comfortable grip.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Dovetailed, high-visibility 3-dot sight system with windage adjustable rear sight and fixed front sight.
- Blued, alloy steel barrel.
- Safety features include internal lock, manual safety, magazine safety and loaded chamber indicator which provides visual and tactile indication that chamber is loaded.
- Also Includes: one 7-round magazine; soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
LC9	3200	9mm Luger	7+1	3.12"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	6.00"	4.50"	.90"	17.10 oz.	\$443.00
LC9-LM	3206	9mm Luger	7+1	3.12"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot, LaserMax CenterFire™	6.00"	4.50"	.90"	17.60 oz.	\$525.00 NEW
LC9-CT	3212	9mm Luger	7+1	3.12"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot, Crimson Trace® Laserguard®	6.00"	4.50"	.90"	17.70 oz.	\$619.00 NEW

THE RUGER® LCP®



Finger Grip Extension Floorplate



Compact



LCP • .380 Auto



2008 Handgun
of the Year





The NEW Ruger® LCP® with LaserMax CenterFire™ Laser



Chambered in Reliable and Effective .380 Auto

The Ruger® LCP® is a compact .380 Auto pistol from the industry leader in rugged, reliable firearms. From backup firearms for law enforcement to licensed carry for personal protection, the LCP® is the perfect choice.

FEATURES:

- Compact at just 5.16" long and 3.60" tall, the LCP® is designed to fit a variety of holsters and provide conceal-carry options.
- Chambered in reliable and effective .380 Auto, provides stopping power when and where you need it.
- Rugged construction with blued, through-hardened alloy steel slide and black, high-performance, glass-filled nylon grip frame.
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Fixed front and rear sights are integral to the slide, while the hammer is recessed within the slide.
- Blued, alloy steel barrel.
- LaserMax CenterFire™ LCP® frame mounted laser model (3718) features ambidextrous activation, the highest accuracy (sits under bore) and distinct on/off switch.
- Also Includes: one 6-round magazine; soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
LCP	3701	.380 Auto	6+1	2.75"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Fixed	5.16"	3.60"	.82"	9.40 oz.	\$379.00
LCP-CT	3713	.380 Auto	6+1	2.75"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Fixed, Crimson Trace® LaserGuard®	5.16"	3.60"	.82"	10.00 oz.	\$549.00
LCP-LM	3718	.380 Auto	6+1	2.75"	Alloy Steel/Blued	Black, High-Performance, Glass-Filled Nylon	Fixed, LaserMax CenterFire™	5.16"	3.60"	.82"	9.90 oz.	\$443.00 NEW

THE **RUGER**® SR40c™




Ruger's Unique Reversible Backstrap is Adjustable for a Flat or Arched Fit



Includes a Finger Grip Extension Floorplate, One 9-Round Magazine and One 15-Round Magazine with Grip Extension



WWW.RUGER.COM/SR40C





High-Visibility 3-Dot Sight System

The Ruger® SR40c™, a compact pistol with large caliber power.

FEATURES:

- Though remarkably similar in size to the popular SR9c™, the SR40c™'s custom slide design reduces recoil and slide velocity, making it more comfortable to shoot than many of its competitors.
- Additional retraction grooves on the front of the slim and ergonomic slide provide a sure grip.
- Unique reversible backstrap (flat or arched) that allows shooters to quickly customize the size and feel of the grip, without the use of separate inserts or special tools.
- Integral accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- High-visibility 3-dot sight system features a raked-forward front sight for easy removal from the holster. Rear sight is windage and elevation adjustable.
- Ambidextrous thumb safety and d-shaped magazine release are easy to reach and actuate.
- Also Includes: one 15-round magazine with grip extension, one 9-round magazine; finger grip extension floor plate; magazine loader; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity*	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight **	Suggested Retail	
KSR40C	3476	.40 S&W	15+1	3.50"	Stainless Steel/Brushed Stainless	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00	NEW
BSR40C	3477	.40 S&W	15+1	3.50"	Alloy Steel/Black Nitride	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00	NEW
KSR40C-9L	3478	.40 S&W	9+1	3.50"	Stainless Steel/Brushed Stainless	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00	NEW
BSR40C-9L	3479	.40 S&W	9+1	3.50"	Alloy Steel/Black Nitride	Black, High-Performance, Glass-Filled Nylon	Adjustable 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00	NEW

* Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

** With 9-round magazine.

RUGGED, RELIABLE FIREARMS



THE **RUGER**® SR40®



High-Visibility 3-Dot Sight System




Unique Reversible Backstrap



KSR40 • .40 S&W

BSR40 • .40 S&W





Ambidextrous Thumb Safety and D-Shaped Ambidextrous Magazine Release

Integral Accessory Mounting Rail

Possibly the easiest recoiling, smoothest shooting .40 S&W on the market, **the Ruger® SR40®** provides a large caliber option in one of the slimmest and most ergonomic full-sized pistol lines available today.

FEATURES:

- Weighs 27.25 ounces (when empty) and ships with two, 15-round, flush-fit magazines.*
- Custom slide design reduces recoil and slide velocity, making it more comfortable to shoot.
- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Integral accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- High-visibility 3-dot sight system features a raked-forward front sight for easy removal from the holster. Rear sight is windage and elevation adjustable.
- Ambidextrous thumb safety and d-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Also Includes: two magazines; magazine loader; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity*	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
KSR40	3470	.40 S&W	15+1*	4.14"	Stainless Steel/Brushed Stainless	Black, High-Performance Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	27.25 oz.	\$529.00
BSR40	3471	.40 S&W	15+1*	4.14"	Alloy Steel/Black Nitride	Black, High-Performance Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	27.25 oz.	\$529.00
KSR40-10L	3472	.40 S&W	10+1	4.14"	Stainless Steel/Brushed Stainless	Black, High-Performance Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	27.25 oz.	\$529.00
BSR40-10L	3473	.40 S&W	10+1	4.14"	Alloy Steel/Black Nitride	Black, High-Performance Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	27.25 oz.	\$529.00

* Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE **RUGER**® SR9c™



Includes a Finger Grip Extension Floorplate, One 10-Round Magazine and One 17-Round Magazine with Grip Extension



Adjustable, High-Visibility 3-Dot Sight System



KSR9C • 9mm Luger



BSR9C • 9mm Luger



2010 Handgun
of the Year

WWW.RUGER.COM/SR9C



Ruger's Unique Reversible Backstrap is Adjustable for a Flat or Arched Fit



Built-in Accessory Mounting Rail Provides Space for Mounting Lights, Lasers and Other Tactical Accessories

Perfectly sized to be comfortable and controllable, **the Ruger® SR9c™** compact pistol is slim at 1.27" wide, light at just 23.40 oz. (when empty), and is only 6.85" in overall length.

FEATURES:

- 17-round magazine with grip extension adapter (5.58" overall height) and 10-round magazine with interchangeable flush floorplate (4.61" overall height) and finger grip extension (5.23" overall height).*
- Includes finger grip extension floorplate that can be added to the magazine for comfort and grip.
- Additional retraction grooves on the front of the slim and ergonomic slide provide a sure grip.
- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Built-in accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- High-visibility 3-dot sight system features a raked-forward front sight for easy removal from the holster. Rear sight is windage and elevation adjustable.
- Ambidextrous thumb safety and d-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Accepts most full-sized SR9® accessories and all full-sized SR9® standard magazines.
- Also Includes: one 17-round magazine with grip extension; one 10-round magazine; finger grip extension floorplate; magazine loader; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity **	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight †	Suggested Retail
KSR9C	3313	9mm Luger	17+1*	3.50"	Stainless Steel/Brushed Stainless	Black, High-Performance Glass-Filled Nylon	Adjustable High-Visibility 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00
BSR9C	3314	9mm Luger	17+1*	3.50"	Alloy Steel/Black Nitride	Black, High-Performance Glass-Filled Nylon	Adjustable High-Visibility 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00
KSR9C-10-L	3316	9mm Luger	10+1	3.50"	Stainless Steel/Brushed Stainless	Black, High-Performance Glass-Filled Nylon	Adjustable High-Visibility 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00
BSR9C-10-L	3317	9mm Luger	10+1	3.50"	Alloy Steel/Black Nitride	Black, High-Performance Glass-Filled Nylon	Adjustable High-Visibility 3-Dot	6.85"	4.61"	1.27"	23.40 oz.	\$529.00

* Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

** Ships with two magazines, either one 17-round and one 10-round, or two 10-round magazines.

† With 10-round magazine.

RUGGED, RELIABLE FIREARMS



THE RUGER® SR9®



Includes Two Magazines



Adjustable, High-Visibility 3-Dot Sight System




Unique Reversible Backstrap (Flat or Arched)



SR9 • 9mm Luger



SR9B • 9mm Luger





Ambidextrous Manual Safety and Magazine Release



Built-In Accessory Mounting Rail

The Ruger® SR9® is perfectly sized to be comfortable and controllable with a slim, ergonomic grip and narrow slide. Featuring a short reach from the backstrap to the trigger, the SR9® creates a comfort level that will challenge any standard-sized, striker-fired pistol available today.

FEATURES:

- Ruger's unique backstrap is reversible, for a flat or arched fit, without the use of separate inserts or special tools.
- Built-in accessory mounting rail provides space for mounting lights, lasers and other tactical accessories.
- High-visibility 3-dot sight system features a raked-forward front sight for easy removal from the holster. Rear sight is windage and elevation adjustable.
- Ambidextrous thumb safety and d-shaped ambidextrous magazine release are easy to reach and use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Also Includes: two magazines; magazine loader; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
SR9	3301	9mm Luger	17+1*	4.14"	Stainless Steel/Brushed Stainless	Black, High-Performance, Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	26.50 oz.	\$529.00
SR9B	3321	9mm Luger	17+1*	4.14"	Alloy Steel/Black Nitride	Black, High-Performance, Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	26.50 oz.	\$529.00
KSR9-10-L	3309	9mm Luger	10+1	4.14"	Stainless Steel/Brushed Stainless	Black, High-Performance, Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	26.25 oz.	\$529.00
SR9B-10-L	3312	9mm Luger	10+1	4.14"	Alloy Steel/Black Nitride	Black, High-Performance, Glass-Filled Nylon	Adjustable, High-Visibility 3-Dot	7.55"	5.52"	1.27"	26.25 oz.	\$529.00

* Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE RUGER® P-SERIES




High-Visibility 3-Dot Sight System




Designed to be Easily Maintained



KP345PR • .45 ACP



P95PR • 9mm Luger





Ambidextrous Manual Safety



Rugged Steel Slide

With a 25-year track record of reliability, durability and performance in the field, **P-Series pistols** are simple, economical, and serviceable. And, most importantly, these pistols can be counted on to perform in adverse conditions.

FEATURES:

- Designed to be easily maintained, P-Series pistols can be field-stripped into five major subassemblies for cleaning, without special tools.
- High-visibility 3-dot sight system for quick and easy target acquisition.
- Stainless steel barrel.
- Ambidextrous manual safety appeals to both left- and right-handed shooters and is within easy reach of either thumb.
- Rugged steel slide in Ruger's proprietary Terhune Anticorro stainless steel or chrome-molybdenum blued steel.
- P345® models also include loaded chamber indicator, magazine disconnect and internal lock.
- Also Includes: two magazines; magazine loader; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity*	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
P345PR	6647	.45 Auto	8+1	4.20"	Alloy Steel/Blued	Black Polymer	Adjustable 3-Dot	7.50"	5.75"	1.23"	29 oz.	\$599.00
KP345PR	6645	.45 Auto	8+1	4.20"	Stainless Steel/Stainless	Black Polymer	Adjustable 3-Dot	7.50"	5.75"	1.23"	29 oz.	\$639.00
P95PR	13009	9mm Luger	10+1	3.90"	Alloy Steel/Blued	Black Polymer	Fixed 3-Dot	7.25"	5.75"	1.20"	27 oz.	\$399.00
KP95PR	13016	9mm Luger	10+1	3.90"	Stainless Steel/Stainless	Black Polymer	Fixed 3-Dot	7.25"	5.75"	1.20"	27 oz.	\$429.00
P95PR15	13015	9mm Luger	15+1*	3.90"	Alloy Steel/Blued	Black Polymer	Fixed 3-Dot	7.25"	5.75"	1.20"	27 oz.	\$399.00
KP95PR15	13014	9mm Luger	15+1*	3.90"	Stainless Steel/Stainless	Black Polymer	Fixed 3-Dot	7.25"	5.75"	1.20"	27 oz.	\$429.00

* Some higher capacity magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

THE **RUGER**® SR22™



Ambidextrous Manual Thumb Safety/
Decocking Lever and Magazine Release



Two Options for Grip, for Selection
of Slim or Wider Palm Swell



Easy to Field Strip



SR22PB • .22 LR

NEW

WWW.RUGER.COM/SR22





Fixed, White Dot Front Sight,
Adjustable Rear Sight with Reversible Blade



Picatinny Rail with Multiple Cross Slots
for Variable Mounting of Accessories

The Ruger® SR22™ is the do-it-all .22 pistol for the shooter who appreciates style and demands reliability! Packed with versatile features, the SR22™ is lightweight (just 17.5 ounces) and perfect for just about anything – plinking, target shooting and even small game hunting. It is easy to field strip, fun to shoot, and will run reliably with a wide variety of ammunition (not just high-velocity ammunition).

FEATURES:

- The SR22™ has light double-action and crisp single-action trigger pulls. Its external hammer is designed with a rounded spur for easy cocking and single-action shooting.
- The SR22™ features a polymer frame and two interchangeable (no tools required) rubberized grips with angled serrations, allowing shooters to select either a slim or wider palm swell option.
- The aerospace grade aluminum slide has serrations on both front and rear for better grip and slide manipulation.
- The easy-to-use underside Picatinny rail features multiple cross slots for variable mounting of most popular accessories.
- The 3-dot sight system has a fixed front sight and a rear sight that is both windage and elevation adjustable. A reversible blade allows shooters to select two white dots or a solid black blade.
- Other SR22™ features include a stainless steel replaceable barrel, an ambidextrous manual thumb safety/decocking lever, ambidextrous magazine release, plus a visual inspection port to determine the load status of the pistol.
- Includes two finger grip extension floorplates that can be added to the magazine for comfort and grip.
- Also Includes: two 10-round magazines; soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Slide/Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
SR22PB	3600	.22 LR	10	3.50"	Aluminum/Black Anodize	Black Polymer	Adjustable 3-Dot (Reversible Rear Blade)	6.40"	4.90"	.97" (1.29" across safety levers)	17.50 oz.	\$399.00

NEW

THE **RUGER** 22/45 **LITE**™



Drilled and Tapped for Weaver®-Style Scope Base Adapters



Internal Cylindrical Bolt Construction



P45MK3ALRP • .22 LR

NEW

**RUGER 22/45 LITE™ WITH
ALUMINUM
UPPER
WEIGHS JUST 22.80 OUNCES**

WWW.RUGER.COM/2245LITE



Upper Receiver is Made of Lightweight, Aircraft-Grade Aluminum

The Ruger 22/45 Lite™: Stay light on your feet with the perfect outdoor companion. With an action similar to the ever-popular Mark III™ pistol, the benchmark by which all .22 Long Rifle pistols are measured, the Ruger 22/45 Lite™ is the perfect lightweight, no compromise rimfire pistol. Characteristic of the highly reputable Ruger® 22/45™ line of rimfire pistols, the Ruger 22/45 Lite™ is accurate and reliable, making it the ideal companion for your next outdoor adventure.

FEATURES:

- Upper receiver, which is finished in a striking gold anodize, is made of aircraft-grade aluminum and features serrated cuts, making the pistol extremely lightweight.
- 4.5-inch stainless steel barrel sleeve is kept in place by a tension nut, ensuring the same great accuracy and reliability of the Ruger® 22/45™ line.
- Accurate sighting system features precision-adjustable sights. Upper receiver is drilled and tapped for Weaver®-style scope base adapters for easy mounting of optics.
- Comfortable, precision-molded Zytel® polymer grip frame with a serrated front strap and back strap. Hogue® black rubber grip panels are replaceable and can be swapped with other grip panels (not included).
- Internal cylindrical bolt construction ensures permanent alignment and higher accuracy potential than conventional moving-slide designs.
- Manual safety positively locks the sear when applied.
- Barrel is threaded 1/2"-28 for popular muzzle accessories (thread protector is supplied).*
- Patented loaded chamber indicator provides a visual and tactile indication of chamber condition.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also Includes: contoured ejection port; easy-to-grasp, tapered bolt ears; a conveniently located push button magazine release on the left side of the frame; two magazines; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Upper Receiver/ Finish	Grip Frame	Sights	Length	Height	Width	Weight	Suggested Retail
P45MK3ALRP*	3900	.22 LR	10	4.40"	Aluminum/ Gold Anodize	Black Polymer	Fixed Front, Adjustable Rear	8.50"	5.50"	1.00"	22.80 oz.	\$469.00

NEW

* Pistols with threaded barrels are not available in all states and locales due to laws limiting feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.

THE RUGER® 22/45™



Comfortable, Precision-Molded Zytel® Polymer Grip Frame




Patented Loaded Chamber Indicator



P512MKIIRP • .22 LR

P45GMK3RP • .22 LR





Internal Cylindrical Bolt Construction



Manual Safety

No other .22 LR pistol provides the feel of the classic 1911 pistol with the proven reliability and value of **Ruger® 22/45™ pistols**. The perfect trainer, it allows for low-cost practice and provides shooters with the familiar and preferred grip shape, angle and feel of the famous 1911 .45 caliber pistol.

FEATURES:

- Comfortable, precision-molded Zytel® polymer grip frame with a serrated front strap and back strap. Replaceable panel models feature replaceable, checkered, 1911-style grip panels for a great appearance and comfortable, non-slip hold.
- Internal cylindrical bolt construction ensures permanent alignment and higher accuracy potential than conventional moving-slide designs.
- Manual safety positively locks the sear when applied.
- Features an unobtrusive internal lock that locks the safety in the "SAFE" position and allows you to safely secure the firearm when not in use.
- Patented loaded chamber indicator provides visual and tactile indication that chamber is loaded.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Also Includes: contoured ejection port; easy-to-grasp tapered bolt ears; a conveniently located push button magazine release on the left side of the frame; two magazines; hard plastic case.

THE **RUGER®** 22/45™




P45GMK3PRRP • .22 LR



Replaceable Checkered Grip Panels



Picatinny Rail



Threaded Barrel

MODELS:

22/45™ THREADED BARREL*

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
P45GMK3PRRP*	10149	.22 LR	10	Alloy Steel/ Blued	Threaded	Zytel® Polymer (w/Replaceable Panels)	None, Picatinny Rail	4.50"	8.50"	5.35"	1"	32 oz.	\$439.00



P45GMK3RP • .22 LR



Replaceable Checkered Grip Panels



Fixed Sights



Threaded Barrel

MODELS:

22/45™ THREADED BARREL*

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
P45GMK3RP*	10150	.22 LR	10	Alloy Steel/ Blued	Threaded	Zytel® Polymer (w/Replaceable Panels)	Fixed	4.50"	8.50"	5.35"	1"	32 oz.	\$439.00

* Pistols with threaded barrels are not available in all states and locales due to laws limiting feature-based restrictions. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such firearms.



P512MKIII • .22 LR



Molded Grip Panels




Fixed Front Sight and Adjustable Rear Sight

MODELS:

22/45™ TARGET

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
P512MKIII	10107	.22 LR	10	Alloy Steel/ Blued	Target	Zytel® Polymer	Fixed Front, Adjustable Rear	5.50"	9.50"	5.35"	1"	32 oz.	\$349.00



P4MKIII • .22 LR



Molded Grip Panels




Fixed Front Sight and Adjustable Rear Sight

MODELS:

22/45™ TARGET

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
P4MKIII	10109	.22 LR	10	Alloy Steel/ Blued	Target	Zytel® Polymer	Fixed Front, Adjustable Rear	4.00"	8.00"	5.35"	1"	31 oz.	\$349.00 NEW



P512MKIIIRP • .22 LR



Replaceable Checkered Cocobolo Grip Panels



Fixed Front Sight and Adjustable Rear Sight

MODELS:

22/45™ TARGET

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grip Frame	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
P512MKIIIRP	10140	.22 LR	10	Alloy Steel/ Blued	Target	Zytel® Polymer (w/Replaceable Panels)	Fixed Front, Adjustable Rear	5.50"	9.50"	5.35"	1"	33 oz.	\$389.00

THE RUGER® MARK III™



Manual Safety




Accurate Sighting System



MKIII4 • .22 LR

KMKIII678H • .22 LR






Smoothly Contoured, Comfortable Grip



Internal, Cylindrical Bolt Construction

Ruger® Mark III™ pistols represent the evolution of Ruger® .22 LR pistols, continuing the legacy of the Ruger® Standard, Mark I and Mark II™ pistols, yet incorporating many new engineering refinements.



FEATURES:

- Patented loaded chamber indicator provides visual and tactile indication of chamber condition.
- Accurate sighting system features fixed or precision-adjustable sights and drilled and tapped receiver for Weaver®-style scope base adapters for easy mounting of optics (adapters included, not on fixed sight models).
- Smoothly contoured, comfortable grip features natural pointing grip angle with checkered grip panels providing a non-slip hold. The manual safety and magazine release are conveniently located on the left side of the frame.
- Manual safety positively locks the sear when applied.
- Magazine disconnect prevents discharge when the magazine has been removed.
- Internal cylindrical bolt construction ensures permanent alignment and higher accuracy potential than conventional moving-slide designs.
- Also Includes: two 10-round magazines; hard plastic case.


RUGGED, RELIABLE FIREARMS



THE RUGER® MARK III™



MKIII512 • .22 LR



Target Barrel



Replaceable Checkered Grip Panels



Fixed Front Sight and Adjustable Rear Sight

MODELS:

MARK III™ TARGET													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
MKIII512	10101	.22 LR	10	Alloy Steel/ Blued	Target	Checkered Black Plastic	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.20"	42 oz.	\$449.00



KMIII512 • .22 LR



Target Barrel



Replaceable Checkered Grip Panels



Fixed Front Sight and Adjustable Rear Sight

MODELS:

MARK III™ TARGET													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
KMIII512	10103	.22 LR	10	Stainless Steel/ Satin Stainless	Target	Checkered Black Plastic	Fixed Front, Adjustable Rear	5.50"	9.75"	5.50"	1.20"	42 oz.	\$559.00



MKIII4 • .22 LR



Tapered Barrel




Replaceable Checkered Grip Panels



Fixed Sights

MODELS:

MARK III™ STANDARD													
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
MKIII4	10104	.22 LR	10	Alloy Steel/ Blued	Tapered	Checkered Black Plastic	Fixed	4.75"	9.00"	5.35"	1.20"	35 oz.	\$379.00





MKIII6 • .22 LR



Tapered Barrel



Replaceable Checkered Grip Panels



Fixed Sights

MODELS:

MARK III™ STANDARD

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
MKIII6	10105	.22 LR	10	Alloy Steel/ Blued	Tapered	Checkered Black Plastic	Fixed	6.00"	10.25"	5.35"	1.20"	37 oz.	\$379.00



KMKIII678GC • .22 LR



Slab-Sided Target Barrel



Replaceable Checkered Cocobolo Grip Panels with Thumbrest



Fixed Front Sight and Adjustable Rear Sight

MODELS:

MARK III™ COMPETITION

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
KMKIII678GC	10112	.22 LR	10	Stainless Steel/ Satin Stainless	Slab-Sided Target	Checkered Cocobolo with Thumbrest	Fixed Front, Adjustable Rear	6.88"	11.12"	5.50"	1.82"	45 oz.	\$639.00



KMKIII678H • .22 LR



Fluted Target Barrel



Replaceable Cocobolo Grip Panels




Fiber Optic Front Sight and Adjustable Rear Sight


MODELS:

MARK III™ HUNTER


Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Barrel	Grips	Sights	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
KMKIII678H	10118	.22 LR	10	Stainless Steel/ Satin Stainless	Fluted Target	Cocobolo	Fiber Optic Front, Adjustable Rear	6.88"	11.12"	5.50"	1.20"	41 oz.	\$659.00




THE RUGER® LCR®



Hogue® Tamer™ Grip (Except Laser Models)



Patented Ruger® Friction Reducing Cam



LCR • .38 SPL+P



2010 American Rifleman
and Shooting Illustrated
Handgun of the Year



2009 Handgun
of the Year

WWW.RUGER.COM/LCR



The NEW Ruger® LCR® in .22 LR



High-Strength Stainless Steel Cylinder

Packed with the latest technological advances and features required by today's most demanding shooters, the **LCR®** is the evolution of the revolver. Winner of the 2009 Academy of Excellence, 2010 American Rifleman and 2010 Shooting Illustrated Handgun of the Year, the LCR® is a lightweight, small-frame revolver with a uniquely smooth trigger and highly manageable recoil.

FEATURES:

- Monolithic frame is made from aerospace grade, 7000 series aluminum in .22 LR and .38 SPL+P models and from 400 series stainless steel in the powerful .357 Mag. model.
- Patented Ruger® friction reducing cam is a next generation design in fire control systems with an optimized cam that results in a smooth, non-stacking trigger pull.
- Patent-pending polymer fire control housing holds all the fire control components in their proper dimensional relationships, reduces weight significantly, and helps reduce recoil.
- Grip peg allows a variety of grip styles to be installed. Standard, XS® Sights, and LCR-357™ models have Hogue® Tamer™ grips, which are highly effective at reducing felt recoil. The LCR® is also available in Crimson Trace® Lasergrips® models.
- High-strength stainless steel cylinder is extensively fluted (reducing weight) and is treated to an advanced form of Ruger's Target Grey® finish for excellent durability.
- LCR-357™ model features a barrel and cylinder made from Carpenter Custom 465 stainless steel, the same material used in .454 Casull Super Redhawk® Revolvers.
- Also Includes: soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Grip	Sights	Length	Height	Weight	Width	Suggested Retail	
LCR-22	5410	.22 LR	8	1.875"	Hogue® Tamer™	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	14.90 oz.	1.28"	\$525.00	NEW
LCR-22-LG	5413	.22 LR	8	1.875"	Crimson Trace® Lasergrips®	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	14.40 oz.	1.28"	\$792.00	NEW
LCR	5401	.38 SPL+P	5	1.875"	Hogue® Tamer™	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	13.50 oz.	1.28"	\$525.00	
LCR-LG	5402	.38 SPL+P	5	1.875"	Crimson Trace® Lasergrips®	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	13.00 oz.	1.31"	\$792.00	
LCR-XS	5405	.38 SPL+P	5	1.875"	Hogue® Tamer™	XS® Standard Dot Tritium Front and U-Notch Integral Rear	6.50"	4.50"	13.50 oz.	1.28"	\$575.00	
KLCR-357	5450	.357 Mag.	5	1.875"	Hogue® Tamer™	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	17.10 oz.	1.28"	\$599.00	
KLCR-357-LG	5451	.357 Mag.	5	1.875"	Crimson Trace® Lasergrips®	Replaceable, Pinned Ramp Front and U-Notch Integral Rear	6.50"	4.50"	16.60 oz.	1.28"	\$869.00	NEW

THE RUGER® SP101®



Patented Grip Frame Design



Triple-Locking Cylinder




KSP-341X • .357 Mag.

NEW

FEATURES:

- Patented grip frame design that easily accommodates the use of a variety of custom grips.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Cushioned rubber grip with black plastic or hardwood insert has no exposed metal in the back strap, making it extremely comfortable.
- Easy takedown of integrated subassemblies requires no special tools and allows for no hassle maintenance and assembly.
- Patented Ruger® transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Also Includes: hard plastic case.





KSP-242-8 • .22 LR

NEW **SP101®**
IN .22 LR

The NEW Ruger® SP101® in .22 LR



Cushioned Rubber Grip with Black Plastic or Hardwood Insert

The Ruger® SP101® revolver boasts the strength to handle the powerful .357 Magnum and .327 Federal cartridges in a controllable, small-framed double-action revolver. Among the most rugged, small-frame revolvers on the market, the Ruger® SP101® is engineered for solid performance.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Front Sight	Rear Sight	Barrel Length	Overall Length	Weight	Suggested Retail	
KSP-242-8	5765	.22 LR	8	Satin Stainless	Cushioned Rubber/Engraved Hardwood Insert	Fiber Optic	Adjustable	4.20"	9.12"	30.00 oz.	\$689.00	NEW
KSP-32731X	5759	.327 Fed. Mag.	6	Satin Stainless	Cushioned Rubber/Black Plastic Insert	Black Ramp	Adjustable	3.06"	8.00"	28.00 oz.	\$639.00	
KSP-821X	5737	.38 SPL+P	5	Satin Stainless	Cushioned Rubber/Black Plastic Insert	Black Ramp	Fixed	2.25"	7.20"	26.00 oz.	\$639.00	
KSP-341X	5771	.357 Mag.	5	Satin Stainless	Cushioned Rubber/Engraved Hardwood Insert	Fiber Optic	Adjustable	4.20"	9.12"	29.50 oz.	\$689.00	NEW
KSP-321X	5718	.357 Mag.	5	Satin Stainless	Cushioned Rubber/Black Plastic Insert	Black Ramp	Fixed	2.25"	7.20"	26.00 oz.	\$639.00	
KSP-331X	5719	.357 Mag.	5	Satin Stainless	Cushioned Rubber/Black Plastic Insert	Black Ramp	Fixed	3.06"	8.00"	27.00 oz.	\$639.00	
KSP-321XL*	5720	.357 Mag.	5	Satin Stainless	Cushioned Rubber/Black Plastic Insert	Black Ramp	Fixed	2.25"	7.20"	25.00 oz.	\$639.00	

* Spurless hammer model.

RUGGED, RELIABLE FIREARMS



THE RUGER® GP100®



Easy Takedown




Triple-Locking Cylinder



KGPF-331 • .357 Mag.

FEATURES:

- Recoil-reducing, cushioned, black rubber Hogue® Monogrip® provides non-slip, comfortable grip.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Patented grip frame design easily accommodates a wide variety of custom grips.
- Easy takedown of integrated subassemblies requires no special tools and allows for no hassle maintenance and assembly.
- Patented Ruger® transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Heavy, full-shrouded precision-rifled barrel.
- Also Includes: hard plastic case.





Patented Grip Frame Design



Recoil-Reducing, Cushioned, Rubber Hogue® Monogrip®

Ruger® GP100® double-action revolvers are comfortable shooting revolvers with rugged, medium-sized frames and cushioned grip systems which permit repeated firings of powerful .357 Magnum cartridges with minimal shooter fatigue.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Weight	Material/ Finish	Front Sight	Rear Sight	Suggested Retail
KGP-4327-7*	1748	.327 Fed. Mag.	7	4.20"	9.50"	40 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$759.00
GP-141*	1702	.357 Mag.	6	4.20"	9.50"	40 oz.	Alloy Steel/Blued	Ramp	Adjustable	\$699.00
GP-161	1704	.357 Mag.	6	6.00"	11.50"	45 oz.	Alloy Steel/Blued	Ramp	Adjustable	\$699.00
KGP-141*	1705	.357 Mag.	6	4.20"	9.50"	40 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$759.00
KGP-161	1707	.357 Mag.	6	6.00"	11.50"	45 oz.	Stainless Steel/Satin Stainless	Ramp	Adjustable	\$759.00
KGPF-331	1715	.357 Mag.	6	3.00"	8.50"	36 oz.	Stainless Steel/Satin Stainless	Ramp	Fixed	\$729.00

* Model may be sold in Canada as barrel length exceeds 105mm to meet Canadian requirement.

RUGGED, RELIABLE FIREARMS



THE RUGER® SUPER REDHAWK®



Triple-Locking Cylinder



Frame Integral Scope System (Optics Not Included)



KSRH-7454 • .454 Casull

KSRH-2 • .44 Mag.



Corrosion-Resistant



Strong Extended Frame

Ruger® Super Redhawk® revolvers have all of the advantages of the Ruger® Redhawk® plus additional features like the unique Ruger® cushioned grip system, hammer-forged barrel and an extended frame machined to accept Ruger® scope rings (included free of charge, not available on Ruger® Super Redhawk Alaskan® models).

FEATURES:

- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Patented integral mounts machined directly on the solid-steel barrel rib provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included, not available on Alaskan models).
- Corrosion-resistant stainless steel boasts the durability and reliability that is the hallmark of a Ruger®.
- Strong extended frame with extra metal in top strap, sidewalls and barrel mounting areas to handle powerful big game loads.
- Recoil cushioning Hogue® Tamer™ Monogrip® with an internal recoil cushion positioned under the web of the hand helps reduce the impact of powerful loads, while peg-style grip frame easily accommodates custom grips.
- Dual chambering for .44 Magnum models, which also accept all factory .44 Special cartridges and .454 Casull models, which also accept all factory .45 Colt cartridges.
- Patented Ruger® transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Also Includes: adjustable rear sight and fixed, replaceable insert ramp front sight; hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KSRH-7	5501	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50"	13.00"	53 oz.	\$1,049.00
KSRH-9	5502	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	9.50"	15.00"	58 oz.	\$1,049.00
KSRH-2 (Alaskan)	5303	.44 Mag.	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50"	7.62"	45 oz.	\$1,079.00
KSRH-2454 (Alaskan)	5301	.454 Casull	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	2.50"	7.62"	44 oz.	\$1,079.00
KSRH-7454	5505	.454 Casull	6	Satin Stainless	Black Hogue® Tamer™ Monogrip®	Ramp Front, Adjustable Rear	7.50"	13.00"	53 oz.	\$1,079.00

THE RUGER® REDHAWK®



Unique, Patented Single Spring Mechanism



Triple-Locking Cylinder




Easy Sighting



KRH-445 • .44 Mag.

FEATURES:

- Unique, patented single spring mechanism for both hammer and trigger allows for a smooth, light trigger pull.
- Triple-locking cylinder is locked into the frame at the front, rear, and bottom for more positive alignment and dependable operation shot after shot.
- Easy sighting with readily replaceable, colored insert front blade sight and precision-adjustable rear sight with white outline.
- Rugged stainless steel construction, with no side plate, is designed specifically to handle powerful magnum loads through extra metal in top strap, sidewalls and barrel mounting areas.
- Hunter model features integral scope mounts and scope rings.
- Patented Ruger® transfer bar mechanism provides an unparalleled measure of security against accidental discharge.
- Dual chambering for .44 Magnum models, which also accept all factory .44 Special cartridges.
- Also Includes: hard plastic case.





Rugged Stainless Steel Construction



Integral Scope Mounts (Hunter Model)

The Ruger® Redhawk® revolver was Ruger's first double-action revolver specifically designed for the powerful .44 Magnum cartridge. It embodies many advanced features such as a “triple-locking” cylinder, a unique “single spring” mechanism for relatively lighter trigger pull, replaceable front sight and adjustable rear sight, with an all-stainless steel construction.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KRH-445	5004	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11.00"	49 oz.	\$989.00
KRH-44	5001	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.00"	54 oz.	\$989.00
KRH-44R (Hunter)	5003	.44 Mag.	6	Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.00"	54 oz.	\$1,049.00 Scope Rings Included
KRH-444*	5026	.44 Mag.	6	Satin Stainless	Black Hogue® Monogrip®	Ramp Front, Adjustable Rear	4.20"	9.50"	47 oz.	\$989.00
KRH-45-4*	5027	.45 Colt	6	Satin Stainless	Black Hogue® Monogrip®	Ramp Front, Adjustable Rear	4.20"	9.50"	46 oz.	\$989.00

* Model may be sold in Canada as barrel length exceeds 105mm to meet Canadian requirement.

THE RUGER® VAQUERO®



Old West Feel and Handling




Patented Ruger® Reverse Indexing Pawl



NV-35 • .357 Mag.

KNV-34-SASS • .357 Mag.

Since its introduction in 1993, **the Ruger® Vaquero®** has dominated the cowboy action shooting world and earned its reputation for rugged reliability due to its strength and mechanical superiority.



FEATURES:

- "Old-west" feel and handling with either Bisley-style grip, or the original-size, pre-1962 "XR-3" style, steel grip frame and checkered grips.
- Patented Ruger® reverse indexing pawl allows for easier loading and unloading, while the traditional beveled cylinder simplifies holstering.
- Patented Ruger® transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Handsome, larger crescent-shaped ejector rod head boasts traditional form, perfect for every cowboy or cowgirl.
- Models chambered for the .357 Magnum cartridge also accept all factory .38 Special cartridges.
- Also Includes: hard plastic case.

MODELS:

VAQUERO® - BLUED

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
NV-34	5107	.357 Mag.	6	Alloy Steel/ Blued	Black Checkered	Fixed	4.62"	10.25"	43 oz.	\$719.00
NV-35	5106	.357 Mag.	6	Alloy Steel/ Blued	Black Checkered	Fixed	5.50"	11.12"	44 oz.	\$719.00
NV-44	5102	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Fixed	4.62"	10.25"	40 oz.	\$719.00
NV-455	5101	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Fixed	5.50"	11.12"	40 oz.	\$719.00

VAQUERO® - STAINLESS

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNV-34	5109	.357 Mag.	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62"	10.25"	43 oz.	\$719.00
KNV-35	5108	.357 Mag.	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50"	11.12"	44 oz.	\$719.00
KNV-44	5105	.45 Colt	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62"	10.25"	40 oz.	\$719.00
KNV-455	5104	.45 Colt	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50"	11.12"	40 oz.	\$719.00

BISLEY VAQUERO®

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNVRB-35	5130	.357 Mag.	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Fixed	5.50"	11.12"	45 oz.	\$799.00
KNVRB-455	5129	.45 Colt	6	Stainless Steel/ High-Gloss Stainless	Simulated Ivory	Fixed	5.50"	11.12"	41 oz.	\$799.00

SASS® VAQUERO®

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNV-34-SASS	5133	.357 Mag.	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	4.62"	10.25"	45 oz.	\$1,598.00 (Two-Gun Set)
KNV-455-SASS	5134	.45 Colt	6	Stainless Steel/ High-Gloss Stainless	Black Checkered	Fixed	5.50"	11.12"	43 oz.	\$1,598.00 (Two-Gun Set)

THE **RUGER**® NEW MODEL SUPER BLACKHAWK®



Traditional Western-Style,
Hand-Filling Grip



Patented Ruger® Transfer Bar Mechanism



Durable & Reliable



KS-47NHN • .44 Mag.

KS-45N • .44 Mag.

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER®!

WWW.RUGER.COM/SUPERBLACKHAWK





Chambered for .44 Magnum
and .44 Special Cartridges

FEATURES:

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Patented Ruger® transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Durable and reliable with coil springs throughout for durability, and ramp front and adjustable rear sights to keep you on target.
- Patented integral mounts, machined directly on the solid-steel barrel rib of Hunter Models, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Chambered in the powerful .44 Magnum, these models accept all factory .44 Special cartridges, which deliver superb accuracy with milder recoil.
- Also Includes: hard plastic case.

Handgun hunters, long-range competitors and fans of the single-action revolver are attracted to the classic design, rugged durability and smooth functioning of **the Ruger® New Model Super Blackhawk®**.

MODELS:

NEW MODEL SUPER BLACKHAWK®

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Cylinder	Trigger Guard	Suggested Retail
S-458N	0813	.44 Mag.	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	45 oz.	Unfluted	Round	\$719.00
S-45N	0810	.44 Mag.	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	45 oz.	Fluted	Round	\$719.00
S-47N	0802	.44 Mag.	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.38"	48 oz.	Unfluted	Square Back	\$719.00
S-411N	0807	.44 Mag.	6	Alloy Steel/Blued	Hardwood	Ramp Front, Adjustable Rear	10.50" (Target)	16.38"	55 oz.	Unfluted	Square Back	\$719.00
KS-458N	0814	.44 Mag.	6	Stainless Steel/Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	45 oz.	Unfluted	Round	\$719.00
KS-45N	0811	.44 Mag.	6	Stainless Steel/Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	45 oz.	Fluted	Round	\$719.00
KS-47N	0804	.44 Mag.	6	Stainless Steel/Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.38"	48 oz.	Unfluted	Square Back	\$719.00
KS-411N	0806	.44 Mag.	6	Stainless Steel/Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	10.50" (Target)	16.38"	55 oz.	Unfluted	Square Back	\$759.00

NEW MODEL SUPER BLACKHAWK® - HUNTER

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KS-47NHN	0860	.44 Mag.	6	Stainless Steel/Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50"	13.38"	52 oz.	\$849.00

NEW MODEL SUPER BLACKHAWK® - BISLEY HUNTER

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KS-47NHB	0862	.44 Mag.	6	Stainless Steel/Satin Stainless	Black Laminate	Ramp Front, Adjustable Rear	7.50"	13.12"	52 oz.	\$849.00

THE RUGER® NEW MODEL BLACKHAWK®



Patented Ruger®
Transfer Bar Mechanism



Traditional Western-Style, Hand-Filling Grip



Target-Grade Accuracy



NVB-444-SPCL (Flattop) • .44 SPL

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER®!

The Ruger® New Model Blackhawk®

is the most advanced single-action revolver ever made. While retaining the solid frame, feel and comfortable grip of the classic single-actions, they feature Ruger's patented transfer bar ignition system with loading gate interlock, an all-coil spring mechanism, adjustable sights, and frame-mounted firing pin.

MODELS:

NEW MODEL BLACKHAWK® - BISLEY

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
RB-44W	0831	.44 Mag.	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.25"	50 oz.	\$729.00
RB-45W	0447	.45 Colt	6	Alloy Steel/ Blued	Hardwood	Ramp Front, Adjustable Rear	7.50"	13.25"	48 oz.	\$729.00



FEATURES:

- Traditional western-style, hand-filling grip has long been acknowledged as one of the most comfortable and natural pointing of any grip style.
- Target-grade accuracy with ramp front and precision-adjustable rear sights.
- Patented Ruger® transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Convertible Models include two cylinders that can be interchanged without the use of tools.
- Variety in caliber, barrel length, grips, finish and weight guarantees a model to meet the needs of today's single-action shooters.
- .44 Special models are built on the classic "flattop" frames for a nostalgic look and feel.
- Also Includes: hard plastic case.

MODELS:

NEW MODEL BLACKHAWK® - BLUED

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
BN-31L*	10595	.30 Carbine	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	7.50"	13.38"	46 oz.	\$599.00
BN-34L*	10306	.357 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	42 oz.	\$599.00
BN-36L*	10316	.357 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50"	12.38"	45 oz.	\$599.00
BN-41L*	10405	.41 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	38 oz.	\$599.00
BN-42L*	10406	.41 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50"	12.38"	41 oz.	\$599.00
NVB-444-SPCL* (Flattop)	5232	.44 SPL	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	42 oz.	\$599.00
NVB-445-SPCL* (Flattop)	5233	.44 SPL	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	5.50"	11.38"	43 oz.	\$599.00
BN-44L*	10445	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	39 oz.	\$599.00
BN-45L*	10455	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	7.50"	13.38"	42 oz.	\$599.00
BN-455L*	10465	.45 Colt	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	5.50"	11.38"	40 oz.	\$599.00

NEW MODEL BLACKHAWK® - STAINLESS

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KBN-34	0309	.357 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	4.62"	10.50"	46 oz.	\$719.00
KBN-36	0319	.357 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50"	12.38"	48 oz.	\$719.00
KBN-3275	0353	.327 Fed. Mag.	8	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11.38"	48 oz.	\$719.00

NEW MODEL BLACKHAWK® - CONVERTIBLE

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
BN-34XL*	10308	.357 Mag./ 9mm Luger	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	42 oz.	\$669.00
BN-36XL*	10318	.357 Mag./ 9mm Luger	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50"	12.38"	45 oz.	\$669.00
BN-44XL*	10446	.45 Colt/ .45 Auto	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.50"	39 oz.	\$669.00
BN-455XL*	10463	.45 Colt/ .45 Auto	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	5.50"	11.38"	40 oz.	\$669.00

* Models with an "L" designation feature an internal lock.

THE **RUGER**® NEW MODEL SINGLE-SIX AND SINGLE-TEN®



Patented Ruger®
Transfer Bar Mechanism



Convertible Models Include Extra Cylinder



Precision-Adjustable Rear Sight



KNR-7H • .22 LR/.22 Mag.

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER®!

KNR-5-10 • .22 LR

NEW

New Model Single-Six® and Single-Ten® revolvers
are the perfect small bore single-action revolvers for
plinking, small game hunting or serious competition.

WWW.RUGER.COM/SINGLE-SIX



FEATURES:

- Rear sight is both windage and elevation adjustable, and puts you on target with all kinds of ammunition (available on most models).
- Perfectly sized for smaller .17 HMR, .22 Mag., and low-cost .22 LR ammunition.
- Patented Ruger® transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Hunter model features patented integral scope mounts which provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Convertible models with extra cylinder allow shooters to quickly change from shooting .22 LR to .22 Mag. ammunition.
- Also Includes: hard plastic case.

MODELS:

SINGLE-TEN®

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNR-5-10	8100	.22 LR	10	Stainless Steel/ Satin Stainless	Hardwood Gunfighter	Williams™ Adjustable Fiber Optic	5.50"	11.00"	38 oz.	\$629.00

NEW

NEW MODEL SINGLE-SIX®-.17 HMR

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
NR-6L-17*	10661	.17 HMR	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50"	12.00"	35 oz.	\$559.00

NEW MODEL SINGLE-SIX®-CONVERTIBLE

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
NR-4L*	10623	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	4.62"	10.25"	32 oz.	\$559.00
NR-5L*	10621	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	5.50"	11.00"	33 oz.	\$559.00
NR-5FL*	10629	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Blade Front, Fixed Rear	5.50"	11.00"	33 oz.	\$549.00
NR-6L*	10622	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	6.50"	12.00"	35 oz.	\$559.00
NR-6FL*	10646	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Blade Front, Fixed Rear	6.50"	12.00"	35 oz.	\$549.00
NR-9L*	10624	.22 LR/ .22 Mag.	6	Alloy Steel/ Blued	Black Checkered	Ramp Front, Adjustable Rear	9.50"	15.00"	39 oz.	\$559.00
KNR-5	0625	.22 LR/ .22 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	5.50"	11.00"	39 oz.	\$629.00
KNR-6	0626	.22 LR/ .22 Mag.	6	Stainless Steel/ Satin Stainless	Hardwood	Ramp Front, Adjustable Rear	6.50"	12.00"	40 oz.	\$629.00

NEW MODEL SINGLE-SIX®-HUNTER

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
KNR-7H	0662	.22 LR/ .22 Mag.	6	Stainless Steel/ Satin Stainless	Black Laminate	Bead Front, Adjustable Rear	7.50"	13.00"	45 oz.	\$799.00

* Models with an "L" designation feature an internal lock.

THE RUGER® NEW BEARCAT®



Classic Styling and One-Piece Frame




Decorative Unfluted Cylinder



SBC-4 • .22 LR

ORIGINAL "OLD MODEL" (PRE-1973) OWNERS-
SEE INSIDE BACK COVER FOR AN IMPORTANT
FREE SAFETY OFFER FROM RUGER®!

WWW.RUGER.COM/BEARCAT





Patented Ruger® Transfer Bar Mechanism



Lightweight and Accurate



The Ruger® New Bearcat® is different from other single-action revolvers. Smaller, lighter, and based on older Remington® single-actions of the 1800's, it has a one-piece cylinder frame that also forms its compact grip.

FEATURES:

- Decorative unfluted cylinder displays a rollmark with a bear and cougar design.
- Classic styling and one-piece frame are reminiscent of the old Remington® Civil War-era revolvers.
- Patented Ruger® transfer bar mechanism and loading gate interlock provide an unparalleled measure of security against accidental discharge.
- Lightweight and accurate with blade front and notch rear sights.
- Also Includes: hard plastic case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Grips	Sights	Barrel Length	Overall Length	Weight	Suggested Retail
SBC-4*	0912	.22 LR	6	Alloy Steel/Blued	Hardwood	Blade Front, Integral Notch Rear	4.20"	9"	24 oz.	\$549.00
KSBC-4*	0913	.22 LR	6	Stainless Steel/Satin Stainless	Hardwood	Blade Front, Integral Notch Rear	4.20"	9"	24 oz.	\$599.00

* Model may be sold in Canada as barrel length exceeds 105mm to meet Canadian requirement.

RUGGED, RELIABLE FIREARMS



THE RUGER® 22 CHARGER™



Precision-Adjustable Bipod (Optics Not Included)



Unique Combination Scope Base (Optics Not Included)



The Ruger® 22 Charger™ Pistol provides a rock steady platform for the most challenging shots. It utilizes the time-tested Ruger® 10/22® action and its superbly reliable rotary magazine and pairs that with a warp-proof, ergonomically designed pistol stock and a precision-adjustable bipod.

WWW.RUGER.COM/CHARGER





Quick and Easy Mag Release



Ergonomically Designed Pistol Stock



FEATURES:

- Unique, ergonomically designed pistol stock available in black laminate is warp-proof and maintains accurate zero.
- Precision-adjustable bipod offers rock steady sighting.
- Unique combination scope base accommodates both Weaver®-style and "tip-off" scope mounts for today's optical sighting systems.
- Quick and easy magazine release allows for simple removal of the legendary Ruger® 10-shot rotary magazine.
- Also Includes: soft case.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Barrel Length	Overall Length	Weight	Height	Width	Suggested Retail
CHR22-10*	4901	.22 LR	10	Alloy Steel/ Satin Black	10"	19.25"	3.50 lbs. (Without Bipod)	5.38"	2"	\$389.00
CHR22-FC* (Includes fired cartridge case)	4904	.22 LR	10	Alloy Steel/ Satin Black	10"	19.25"	3.50 lbs. (Without Bipod)	5.38"	2"	\$389.00

* Some pistols may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGGED, RELIABLE FIREARMS



ABOUT THE WEB



VISIT **RUGER.COM** TODAY AND:

Search Our Complete Product Database:

Find the firearm that suits your needs. Search our product database by caliber, left-handed models, California and Massachusetts approved handguns, distributor exclusives, or our newest models.



Review Product Specifications: View full specifications on all current Ruger® firearms to compare features between different models and research which model is best for you.




Sign-Up for Special Offers, Promotions and Product Updates: Add yourself to the mailing list for the topics that interest you, like Ruger® Rimfire Shooting Competitions, Cowboy Action Shooting, Personal Defense, or Hunting - or sign up for them all!





Find a Local Retailer: Locate an independent retailer of Ruger® firearms by simply entering the zip code for the area you want to search.


Contact the CEO or Customer Service: Do you have comments or thoughts on Ruger® products? Visit our *Tell the CEO* section! Our Customer Service section provides resources for using and maintaining your Ruger® firearms and explains how to get in touch with our Customer Service Department.



Watch Original Videos, Shows and Product Ads:

Learn about everything Ruger® – from our products to our history – in our extensive video collection. Both experienced and beginner shooters can pick up a variety of tips from experts in the field.

Review FAQs and Additional Product Information: Find out if others have asked the same question you have, download entire instruction manuals, or view Ruger® product history.



Read Press Clippings on Ruger® Products: Read what others in the industry are saying about the latest Ruger® firearms.

THE RUGER 10/22 TAKEDOWN™



Barrel and Action are Easily Separated and Reassembled for Ease of Transportation and Storage




NEW

The Ruger 10/22 Takedown™: A New Take on the Legendary Ruger® 10/22®. The Ruger 10/22 Takedown™ combines all of the features and functionality of the 10/22® rifle, America's favorite rimfire rifle, with the ability to easily separate the barrel and action for convenient storage and transportation. The simple reassembly of the barrel and action yields a rock-solid return to zero for consistent, reliable performance. Packed in a rugged, ballistic nylon case (included with rifle), the Ruger 10/22 Takedown™ makes it easy to keep America's favorite rimfire by your side.



BAG INCLUDED!

WWW.RUGER.COM/1022TAKEDOWN





10-Shot Rotary Magazine



Recessed Locking Lever



K10/22-TD • .22 LR

FEATURES:

- Easy takedown enables quick separation of the barrel from the action for ease of transportation and storage. Takedown is as simple as locking the bolt back and verifying that the rifle is unloaded, pushing a recessed lever, twisting the subassemblies and pulling them apart.
- Simple reassembly allows for a secure connection of the barrel and action and returns the firearm to zero, even when receiver-mounted optics are used, ensuring consistent accuracy, shot after shot.
- Patented, detachable 10-shot rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Legendary 10/22® action, a tried and true Ruger® design, ensures consistent, reliable performance.
- Includes backpack-style bag which provides ample storage for your Ruger 10/22 Takedown™ with extra pockets and magazine pouches.
- Easy-to-use extended magazine release provides smooth, no-fuss removal of the unique, flush mounted magazine with no exposed magazine to dent and no uncomfortable protrusions at the rifle's balance point.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver®-style and .22 "tip-off" scope mounts is provided.
- Heat-stabilized, glass-filled polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion-resistance, and unmatched ability to withstand the elements.
- Rugged, weather-resistant stainless steel barrel and composite stock.

RUGER 10/22
TAKE DOWN™

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Stock	Sights	Barrel Length	Overall Length*	Weight	Length of Pull	Suggested Retail
K10/22-TD	11100	.22 LR	10	Clear Matte	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50"	37.00"	4.67 lbs.	13.50"	\$389.00

NEW

* When separated, the length of the barrel and forend portion of the rifle is 18.5" and the length of the action and buttstock portion is 20".

RUGGED, RELIABLE FIREARMS



THE RUGER® 10/22®



Easy-to-Use Extended Magazine Release




Patented, Detachable 10-Shot Rotary Magazine



The Ruger® 10/22® rifle is America's favorite .22 LR rifle, with proven performance in a wide range of styles for every rimfire application. Ideally suited for informal target shooting, "plinking," small game hunting and action-shooting events, Ruger® has sold millions of 10/22 rifles since their introduction in 1964.

WWW.RUGER.COM/10/22





Positive, Push-Button Cross-Bolt Manual Safety



Combination Scope Base Adapter



10/22-FS • .22 LR

10/22-RB • .22 LR

FEATURES:

- Patented, detachable 10-shot rotary magazine features a unique rotor to separate cartridges and provide reliable feeding.
- Easy-to-use extended magazine release provides smooth, no-fuss removal of the unique, flush mounted magazine - with no exposed magazine to dent and no uncomfortable protrusions at the rifle's balance point.
- Positive, push-button, cross-bolt manual safety.
- Combination scope base adapter for both Weaver®-style and .22 "tip-off" scope mounts is provided with every rifle.
- Cold hammer-forged barrel that is locked into the receiver by a unique two-screw, V-block system.
- Heat-stabilized, glass-filled polymer trigger housing assembly is precision-made of high-tech material for improved manufacturing tolerances, impact and abrasion-resistance, and unmatched ability to withstand the elements.

RUGGED, RELIABLE FIREARMS



THE RUGER® 10/22®



10/22-CRR • .22 LR



Fiber Optic Front Sight



Adjustable Rear Sight


MODELS:

10/22® COMPACT

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
10/22-CRR	1168	.22 LR	10	Alloy Steel/ Satin Black	Hardwood	Fiber Optic Front, Adjustable Rear	16.12"	34.00"	4.50 lbs.	12.75"	\$319.00



10/22-DSP • .22 LR

Gold Bead
Front SightAdjustable, Folding
Rear SightSling Swivels and
Flat Buttplate with
Rubber Buttpad



MODELS:

10/22® SPORTER

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
10/22-DSP	1102	.22 LR	10	Alloy Steel/ Satin Black	American Walnut	Gold Bead Front, Adjustable Rear	18.88"	37.00"	5.75 lbs.	13.88"	\$379.00



10/22-RB • .22 LR

Gold Bead
Front SightAdjustable, Folding
Rear Sight

Contoured Buttplate




Barrel Band

MODELS:

10/22® CARBINE

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
10/22-RB	1103	.22 LR	10	Alloy Steel/ Satin Black	Hardwood	Gold Bead Front, Adjustable Rear	18.50"	37.00"	5.00 lbs.	13.50"	\$277.00
10/22-RPF	1151	.22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50"	37.00"	5.00 lbs.	13.50"	\$277.00
K10/22-RBPBTC	1256	.22 LR	10	Stainless Steel/ Clear Satin	Black Synthetic	Gold Bead Front, Adjustable Rear	18.50"	37.00"	5.00 lbs.	13.50"	\$299.00







10/22-T • .22 LR



Heavy, Hammer-Forged
Barrel with Recessed Target
Crown and Spiral Design



Flat Buttplate with
Rubber Buttpad
and Sling Swivels



Target Trigger


MODELS:

10/22® TARGET (WITH TARGET TRIGGER AND HEAVY CONTOUR BARREL)

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
10/22-T	1121	.22 LR	10	Alloy Steel/ Satin Black	Brown Laminate	None	20"	38.50"	7.50 lbs.	13.75"	\$499.00
K10/22TBBZCP	1262	.22 LR	10	Stainless Steel/ Clear Satin	Black Laminate	None	20"	38.50"	7.50 lbs.	13.75"	\$559.00



10/22VLEH • .22 LR



Heavy, Hammer-Forged
Barrel with Recessed Target
Crown and Spiral Design

MODELS:

10/22® TACTICAL

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
10/22VLEH (with Target Trigger, Heavy Contour Barrel and Bipod)	1230	.22 LR	10	Alloy Steel/ Satin Black	Black Hogue® OverMolded®	None	16.12"	34.50"	6.88 lbs.	13.75"	\$569.00
10/22-FS* (with Flash Suppressor)	1261	.22 LR	10	Alloy Steel/ Satin Black	Black Synthetic	None	16.12"	36.25"	4.30 lbs.	13.50"	\$319.00



THE RUGER®

BX-25®

GENUINE RUGER® FACTORY MAGAZINE

A V A I L A B L E A T S H O P R U G E R . C O M

We've Taken a

NEW ANGLE

on the 25-Round

10/22® Magazine.

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.


THE **RUGER®** SR-22® RIFLE



AR-Style Ergonomics



Legendary Ruger® Rotary Magazine



Picatinny Rail Optic Mount



The Ruger® SR-22® rifle is an autoloading rimfire rifle that combines the legendary reliability of the Ruger® 10/22® with the ergonomics and configurability of the Ruger® SR-556®.



Round, Mid-Length Handguard



Accessorize at ShopRuger.com



SR-22R • .22 LR

FEATURES:

- Legendary Ruger® rotary magazine makes this rifle one of the most reliable, trusted autoloaders available.
- Fires the inexpensive .22 LR allowing shooters to shoot, train or just have fun.
- AR-style ergonomics with industry leading Hogue® Monogrip® and six-position telescoping buttstock on a mil-spec diameter tube (SR-22RSC features a fixed-length stock).
- Picatinny rail optic mount allows a variety of sight or scope options.
- Round, mid-length handguard is mounted on a standard-thread AR-style barrel nut.
- Barrel support block, installed in the handguard, ensures accuracy and allows the standard 10/22 V-block barrel attachment system to be used.
- Precision-rifled, cold hammer-forged barrel at 16-1/8" and forged of alloy steel, is capped with an SR-556®/ Mini-14® flash suppressor mounted with a 1/2"- 28 thread (SR-22RSC features a target crown and no flash suppressor).
- Accessorize at ShopRuger.com with Picatinny rails specifically designed for the SR-22® rifle handguard, AR-compatible replacement buttstocks, grips, and many other accessories.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Length of Pull	Suggested Retail
SR-22R*	1226	.22 LR	10	16.12"	32.75"-36.00"	7"	2"	6.50 lbs.	10.00"-13.00"	\$629.00
SR-22RSC	1236	.22 LR	10	16.12"	34.38"	7"	2"	6.50 lbs.	13.00"	\$629.00

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity or other feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGGED, RELIABLE FIREARMS



THE RUGER® SR-556E®



A2-Style Pistol Grip with Finger Groove




Cold Hammer-Forged Barrel



The SR-556E®. Everything you need, and nothing you don't.

Designed for the piston gun enthusiast who wants to start with the bare essentials, the Ruger® SR-556E® offers the basic features that make the Ruger® SR-556® family a success. The SR-556E® features Ruger's patent-pending, chrome-plated, two-stage piston and multi-stage regulator and comes equipped with a round, Lightweight Adaptable handguard that provides multiple options for mounting optics and other accessories.

WWW.RUGER.COM/SR556E






6-Position Telescoping M4-Style Buttstock



Chrome-Plated, Two-Stage Piston with Multi-Stage Regulator



SR-556E • 5.56mm NATO/.223 Rem.

FEATURES:

- Chrome-plated, two-stage piston with adjustable regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston provides a smooth power delivery stroke to the bolt carrier.
- The four-position chrome-plated gas regulator can be adjusted for optimum reliability and superior operating endurance. The gas system may be closed completely for manual operation during training or when using a suppressor.
- The round, Lightweight Adaptable handguard with flattop receiver features a Picatinny rail at 12:00 position that extends the full length of the handguard. Additional rails for 3:00, 6:00 and 9:00 positions are sold separately.
- 6-position telescoping M4-style buttstock is mounted on a Mil-Spec diameter tube.
- Cold hammer-forged Mil-Spec 41V45 barrel ensures accuracy and longevity.
- A2-style pistol grip with finger groove.
- Also Includes: one MAGPUL® PMAG® 30-round magazine; soft-sided case (except for SR-556ESC)



FIND THE PERFECT SR-556® FOR YOU! To learn more, see page 68 or visit WWW.RUGER.COM/SR556

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
SR-556*	5912	5.56mm NATO/.223 Rem.	30	16.12"	32.75"-36.00"	7.25"	2.50"	7.36 lbs.	\$1,375.00
SR-556ESC	5915	5.56mm NATO/.223 Rem.	10	16.12"	34.50"	7.25"	2.50"	7.36 lbs.	\$1,375.00 NEW

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGGED, RELIABLE FIREARMS



THE **RUGER**® SR-556®



Hogue® Monogrip® Pistol Grip



Chrome-Lined, Cold Hammer-Forged Barrel



Barrel of the SR-556SC




Barrel of the SR-556FB



FIND THE PERFECT SR-556® FOR YOU! To learn more, see page 68 or visit WWW.RUGER.COM/SR556

The SR-556® offers Ruger's legendary rugged reliability, and comes factory standard with a host of accessories that today's shooters demand. A patent-pending, chrome-plated, two-stage piston driven system provides the user with a cleaner, cooler running, reliable firearm that is truly state-of-the-art.

WWW.RUGER.COM/SR556





Folding Backup Iron Sights



Chrome-Plated, Two-Stage Piston with Multi-Stage Regulator



SR-556FB • 5.56mm NATO/.223 Rem.



FEATURES:

- Chrome-plated, two-stage piston with adjustable regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston provides a smooth power delivery stroke to the bolt carrier.
- The four-position chrome-plated gas regulator can be adjusted for optimum reliability and superior operating endurance. The gas system may be closed completely for manual operation during training or when using a suppressor.
- All models include a quad rail handguard which provides four Mil-Std 1913 Picatinny rails, and is in alignment with the flattop receiver, providing ample space for mounting sights, lights, lasers or other accessories.
- All models include rail covers.
- Folding backup iron sights provide a windage adjustable rear sight and an elevation adjustable front sight that co-witness with Mil-Spec optics and can be easily removed to make room for advanced optics. The sights can be folded down or flipped up with your thumbs.
- 6-position telescoping M4-style buttstock is mounted on a Mil-Spec diameter tube (SR-556SC features a fixed-length stock).
- Chrome-lined, cold hammer-forged Mil-Spec 41V45 barrel ensures accuracy and longevity.
- Hogue® Monogrip® pistol grip adds comfort when carrying or shooting.
- Bolt carrier group is chrome-plated.
- Also Includes: soft-sided case (except SR-556SC); three magazines.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
SR-556FB*	5902	5.56mm NATO/.223 Rem.	30	16.12"	32.75"- 36.00"	7.75" (with Sights Folded)	2.50"	7.94 lbs.	\$1,995.00
SR-556SC	5904	5.56mm NATO/.223 Rem.	10	16.12"	34.50"	7.75" (with Sights Folded)	2.50"	7.94 lbs.	\$1,995.00

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

THE **RUGER**® SR-556® CARBINE



Integral Flash Suppressor of the SR-556C and SR-556CLA (Barrel is fluted under the handguard)



SR-556CLA • 5.56mm NATO/.223 Rem.

NEW

FEATURES:

- Lightweight, quick-handling Carbine models feature minimum-length fluted barrels with integral flash suppressors.
- Chrome-plated, two-stage piston with adjustable regulator provides a cleaner, cooler running, reliable firearm with superior operating endurance. The two-stage piston provides a smooth power delivery stroke to the bolt carrier.
- The four-position chrome-plated gas regulator can be adjusted for optimum reliability and superior operating endurance. The gas system may be closed completely for manual operation during training or when using a suppressor.
- SR-556C includes a quad rail handguard which provides four Mil-Std 1913 Picatinny rails, and is in alignment with the flattop receiver, providing ample space for mounting sights, lights, lasers or other accessories.
- The SR-556CLA model features a round, Lightweight, Adaptable handguard that allows optional rail sections.
- Folding backup iron sights provide a windage adjustable rear sight and an elevation adjustable front sight that co-witness with Mil-Spec optics and can be easily removed to make room for advanced optics. The sights can be folded down or flipped up with your thumbs.
- 6-position telescoping M4-style buttstock is mounted on a Mil-Spec diameter tube.
- Chrome-lined, cold hammer-forged Mil-Spec 41V45 barrel ensures accuracy and longevity.
- Fluted barrel with integral flash suppressor.
- Hogue® Monogrip® pistol grip adds comfort when carrying or shooting.
- Bolt carrier group is chrome-plated.
- All models include rail covers.
- Also Includes: soft-sided case; three magazines.



FIND THE PERFECT SR-556® FOR YOU! To learn more, see page 68 or visit WWW.RUGER.COM/SR556


MODELS:

Catalog Number	Model Number	Caliber	Capacity	Barrel Length	Overall Length	Height	Width	Weight	Suggested Retail
SR-556C*	5905	5.56mm NATO/.223 Rem.	30	16.12"***	31.00" - 34.25"	7.75" (with Sights Folded)	2.50"	7.40 lbs.	\$1,995.00
SR-556CLA*	5913	5.56mm NATO/.223 Rem.	30	16.12"***	31.00" - 34.25"	7.75" (with Sights Folded)	2.50"	7.17 lbs.	\$1,995.00 NEW

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

** Measured to the end of the integral flash suppressor.

WWW.RUGER.COM/SR556



THE RUGER® SR-556®



FEATURE:	SR-556FB STANDARD	SR-556SC STATE COMPLIANT	SR-556C CARBINE	SR-556CLA CARBINE	SR-556E ESSENTIAL	SR-556ESC ESSENTIAL/STATE COMPLIANT
Two-Stage Piston	Yes	Yes	Yes	Yes	Yes	Yes
Gas Piston and Regulator	Adjustable, Four-Position Chrome-Plated	Adjustable, Four-Position Chrome-Plated	Adjustable, Four-Position Chrome-Plated	Adjustable, Four-Position Chrome-Plated	Adjustable, Four-Position Chrome-Plated	Adjustable, Four-Position Chrome-Plated
Handguard	Quad Rail	Quad Rail	Quad Rail	Round, Lightweight Adaptable (Accessory Rails Included)	Round, Lightweight Adaptable	Round, Lightweight Adaptable
Sights	Folding Back-Up Iron	Folding Back-Up Iron	Folding Back-Up Iron	Folding Back-Up Iron	—	—
Buttstock	6-Position Telescoping M4-Style	Fixed-Length	6-Position Telescoping M4-Style	6-Position Telescoping M4-Style	6-Position Telescoping M4-Style	Fixed-Length
Barrel Material	Cold Hammer-Forged, Mil-Spec 41V45	Cold Hammer-Forged, Mil-Spec 41V45	Cold Hammer-Forged, Mil-Spec 41V45	Cold Hammer-Forged, Mil-Spec 41V45	Cold Hammer-Forged, Mil-Spec 41V45	Cold Hammer-Forged, Mil-Spec 41V45
Barrel Fluting	—	—	Yes	Yes	—	—
Barrel Lining	Chrome	Chrome	Chrome	Chrome	—	—
Barrel Length	16.12" (Not Including the Suppressor)	16.12"	16.12" (Including the Suppressor)	16.12" (Including the Suppressor)	16.12" (Not Including the Suppressor)	16.12"
Flash Suppressor	Yes (Threaded)	—	Yes (Integral)	Yes (Integral)	Yes (Threaded)	—
Bolt Carrier Group	Chrome-Plated	Chrome-Plated	Chrome-Plated	Chrome-Plated	Black Oxide	Black Oxide
Pistol Grip	Hogue® Monogrip®	Hogue® Monogrip®	Hogue® Monogrip®	Hogue® Monogrip®	A2-Style	A2-Style
Magazine(s)	Three MAGPUL® 30-Round PMAGs®	Three 10-Round	Three MAGPUL® 30-Round PMAGs®	Three MAGPUL® 30-Round PMAGs®	One MAGPUL® 30-Round PMAG®	One 10-Round
Rail Covers	Yes	Yes	Yes	Yes	—	—
Weight	7.94 lbs.	7.94 lbs.	7.40 lbs.	7.17 lbs.	7.36 lbs.	7.36 lbs.
Case	Soft-Sided	—	Soft-Sided	Soft-Sided	Soft-Sided	—

RUGER® SR-556® AUTOLOADING RIFLE FEATURES



THE **RUGER**® MINI-14® AND MINI THIRTY®




Simple, Rugged Garand-Style Action



Heavy, Hammer-Forged Barrel



For decades, **Ruger® Mini-14® rifles** have been the choice for applications ranging from the farm and ranch, to the deep woods, to personal defense. Their short barrels and overall short length make them favorites in any application where reliability, maneuverability and ease of handling are priorities.





Accurate Sighting System



Patented Integral Scope Mounts



KMini-14/20P • 5.56mm NATO/.223 Rem.



M-14/20GBCPC • 5.56mm NATO/.223 Rem.

FEATURES:

- Heavy, hammer-forged barrel for extra accuracy, longevity and easy cleaning.
- Simple, rugged Garand-style action with breechbolt locking system, a fixed-piston gas system and self-cleaning moving gas cylinder giving unparalleled reliability under harsh operating conditions.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- All 16.12" length barrels include threaded-on flash suppressors.*
- Accurate sighting system with ghost ring adjustable rear aperture sight and a protected, non-glare post blade front sight.
- Also Includes: integral sling swivels.

RUGGED, RELIABLE FIREARMS




THE **RUGER®** MINI-14® AND MINI THIRTY®



KMINI-30-P • 7.62 x 39mm



Accepts the Readily Available 7.62 x 39mm



Integral Sling Swivels

MODELS:

MINI THIRTY® RIFLE

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
M-30/20GBCPC* (with Flash Suppressor)	5854	7.62 x 39mm	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	6.75 lbs.	13.00"	\$939.00
KMINI-30-P	5806	7.62 x 39mm	5	Stainless Steel/ Matte	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.75 lbs.	13.00"	\$959.00
KMINI-30/20P*	5853	7.62 x 39mm	20	Stainless Steel/ Matte	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.75 lbs.	13.00"	\$979.00



KMINI-14/20P • 5.56mm NATO/.223 Rem.



Flat, Rifle-Style Butt pad for Recoil Reduction




Hardwood Stock

MODELS:

MINI-14® RANCH RIFLE

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
MINI-14/5	5801	5.56mm NATO/.223 Rem.	5	Alloy Steel/ Blued	Hardwood	Blade Front, Adjustable Rear	18.50"	38.00"	7.00 lbs.	13.50"	\$881.00
MINI-14/20*	5816	5.56mm NATO/.223 Rem.	20	Alloy Steel/ Blued	Hardwood	Blade Front, Adjustable Rear	18.50"	38.00"	7.00 lbs.	13.50"	\$899.00
KMINI-14/5P	5805	5.56mm NATO/.223 Rem.	5	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.75 lbs.	13.00"	\$949.00
KMINI-14/20P*	5817	5.56mm NATO/.223 Rem.	20	Stainless Steel/ Matte Stainless	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.75 lbs.	13.00"	\$979.00
M-14/5P	5855	5.56mm NATO/.223 Rem.	5	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	18.50"	37.50"	6.75 lbs.	13.00"	\$889.00





KMINI-14/5T • .223 Rem.



Adjustable Harmonic Dampener for Tuning Minute-of-Angle Accuracy


MODELS:

MINI-14® TARGET RIFLE (WITH HARMONIC BARREL TUNER)

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
KMINI-14/5T	5808	.223 Rem.	5	Stainless Steel/ Matte Stainless	Black Laminate with Thumb Hole	None	22"	41.75"-43.25"	9.50 lbs.	14.12"-15.62"	\$1,099.00
KMINI-14/5TH	5828	.223 Rem.	5	Stainless Steel/ Matte Stainless	Black Hogue® OverMolded®	None	22"	41.50"	8.50 lbs.	13.50"	\$1,099.00



M-14/20CF • 5.56mm NATO/.223 Rem.



Compact Hammer-Forged Barrel with Flash Suppressor



Black Synthetic Stock

MODELS:

MINI-14® TACTICAL RIFLE (WITH FLASH SUPPRESSOR)

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
M-14/20CF*	5846	5.56mm NATO/.223 Rem.	20	Alloy Steel/ Blued	Black Synthetic, Collapsible/ Folding	Blade Front, Adjustable Rear	16.12"	34.00"-37.75"	7.25 lbs.	11.88"-15.62"	\$939.00
M-14/5GBCPC	5848	5.56mm NATO/.223 Rem.	5	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	6.75 lbs.	13.00"	\$939.00
M-14/20GBCPC*	5847	5.56mm NATO/.223 Rem.	20	Alloy Steel/ Blued	Black Synthetic	Blade Front, Adjustable Rear	16.12"	36.75"	6.75 lbs.	13.00"	\$939.00

* Some rifles may not be available in all states and locales due to laws limiting magazine capacity and feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

THE **RUGER**® GUNSITE SCOUT RIFLE



Gunsite Logo-Engraved Grip Cap



Protected Adjustable Ghost Ring Rear Sight



2011 Rifle
of the Year

Beware the man with one gun, for he probably knows how to use it. Never has this been more true than with **the Ruger® Gunsite Scout Rifle**, the one rifle to have if you could have only one. It is the perfect lightweight, hard-hitting, do-it-all bolt-action rifle.

WWW.RUGER.COM/SCOUTRIFLE





Forward Mounted Picatinny Rail



Flash Suppressor and Protected Front Sight



FEATURES:

- Flash suppressor reduces muzzle flash and can be removed from the 5/8-24 muzzle threaded barrel for the fitting of most standard .30 caliber muzzle accessories.*
- The forward mounted Picatinny rail allows for the mounting of modern optics, like an intermediate eye relief scope (not included), for "both eyes open" sighting and super-fast target acquisition.
- Also offers a built-in, accurate sighting system with ghost ring adjustable rear aperture sight and a protected, non-glare post front sight.
- 10-round, detachable box magazine with push-forward, Mini-14-style, magazine release just forward of the trigger guard (additional 10-round, 5-round and 3-round magazines available for purchase at ShopRuger.com).
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Soft rubber recoil pad with buttpad spacers allow the rifle to be properly sized for different shooters or varying levels of outerwear or defensive gear (three 1/2" spacers included).
- Precision-rifled, 16.5," medium contour, cold hammer-forged, alloy steel barrel.
- Rugged and reliable with a glass-reinforced nylon trigger guard and magazine well, and a black laminate stock with checkered grip and forearm.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Developed with Gunsite, this rifle is "Gunsite Approved" and features the Gunsite logo engraved on the grip cap and name rollmarked on the receiver.
- Also Includes: rugged, one-piece, stainless steel bolt; three-position safety; studs for mounting sling swivels.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Barrel Length	Overall Length	Weight (w/o mag)	Length of Pull	Suggested Retail
M77-GS*	6803	.308 Win.	10	Alloy Steel/ Matte Black	Black Laminate	16.50"	38.00"- 39.50"	7.00 lbs.	12.75"- 14.25"	\$999.00
M77-LGS* (Left-Handed)	6814	.308 Win.	10	Alloy Steel/ Matte Black	Black Laminate	16.50"	38.00"- 39.50"	7.00 lbs.	12.75"- 14.25"	\$999.00


NEW

* Some rifles may not be available in all states and locales due to laws limiting feature-based restrictions. Please check with your local law enforcement agency prior to purchasing to verify that it may legally be purchased and/or possessed in your particular state and locale.

RUGGED, RELIABLE FIREARMS



THE **RUGER** AMERICAN RIFLE™



Power Bedding™ Integral Bedding Blocks
for Outstanding Accuracy



Ruger Marksman Adjustable™ Trigger Offers a Crisp Release
with a Pull Weight that is Adjustable Between 3 and 5 Pounds




Visible, Accessible and Easy-to-
Actuate Tang Safety



The Ruger American Rifle™: An American Legend is Born. The 100% American-made, Ruger American Rifle™ is the latest engineering innovation from America's leading firearms manufacturer. Offered in short- and long-action calibers, the Ruger American Rifle™ combines the rugged reliability of Ruger's past with the award-winning ingenuity featured in so many of Ruger's new products.

100% AMERICAN MADE

WWW.RUGER.COM/AMERICANRIFLE






Flush Fit, Four-Round Rotary Magazine
Provides Smooth, Reliable Feeding



Three-Lug Bolt with 70° Throw Provides Ample Scope Clearance



AMERICAN • .30-06 Sprg.



RUGER AMERICAN RIFLE™

FEATURES:

- Ruger Marksman Adjustable™ Trigger offers a crisp release with a pull weight that is adjustable between 3 and 5 pounds, allowing shooters to make that perfect shot.
- Ergonomic, lightweight black composite stock (designed for quick, easy handling) blends a classic look with modern forend contouring and grip serrations.
- Soft rubber recoil pad is crafted for maximum recoil reduction.
- The three-lug bolt with 70° throw provides ample scope clearance, and utilizes a full diameter bolt body and dual cocking cams for smooth, easy cycling from the shoulder.
- Another patent-pending innovation is Power Bedding™, an integral bedding block system that positively locates the receiver and free-floats the barrel for outstanding accuracy.
- Matte black, 22" barrel is hammer-forged, resulting in ultra-precise rifling that provides exceptional accuracy, longevity and easy cleaning.
- Features a visible, accessible and easy-to-actuate tang safety that provides instant security.
- Offers a reliable 4-round, rotary magazine that fits flush with the stock and offers the smooth feed that has become the hallmark of Ruger® rotary magazines.
- The receiver is drilled and tapped for mounting the included scope bases.
- Also Includes: sling swivel studs

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail	
AMERICAN	6901	.30-06 Sprg.	4	Matte Black	Black Composite	None	22.00"	42.50"	6.25 lbs.	13.75"	\$449.00	NEW
AMERICAN	6902	.270 Win.	4	Matte Black	Black Composite	None	22.00"	42.50"	6.25 lbs.	13.75"	\$449.00	NEW
AMERICAN	6903	.308 Win.	4	Matte Black	Black Composite	None	22.00"	42.00"	6.12 lbs.	13.75"	\$449.00	NEW
AMERICAN	6904	.243 Win.	4	Matte Black	Black Composite	None	22.00"	42.00"	6.25 lbs.	13.75"	\$449.00	NEW

RUGGED, RELIABLE FIREARMS



THE RUGER® M77® HAWKEYE®



The LC6™ Trigger




Non-Rotating, Mauser-Type Controlled Round Feed Extractor



Ruger® M77® Hawkeye® bolt-action rifles are designed to be instant classics. Built with versatility, style and performance in mind, these rifles meet the challenges of hunters throughout the world.

WWW.RUGER.COM/HAWKEYE





Hinged Solid-Steel Floorplate



Patented Integral Scope Mounts



HM77R • .30-06 Sprg.



HKM77RFP • .204 Ruger

FEATURES:

- The LC6™ trigger features smooth, crisp performance right out-of-the-box for increased accuracy on the range or in the field.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge. Features an engraved Ruger® logo and patented latch that is flush with the trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Features cold hammer-forged barrel for the ultimate in accuracy, longevity, and easy barrel cleaning.
- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Ergonomically pleasing stock has rounded contours along the barrel, on the bottom of the stock, and on the top of the pistol grip.
- Alloy steel models feature a handsome, satin blued finish.
- Also Includes: rugged one-piece, stainless steel bolt; studs for mounting sling swivels.

RUGGED, RELIABLE FIREARMS



THE RUGER® M77® HAWKEYE®




HM77R • .30-06 Sprg.

Red Rubber Recoil Pad
for Recoil Reduction,
features Ruger LogoExtensive Cut-Checkered
Grip and Wrap-Around
Checkered Forend

MODELS:


M77® HAWKEYE® STANDARD

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77R	37116	.204 Ruger	5	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.00"	7.25 lbs.	13.50"	\$859.00
HM77R	37118	.22-250 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.25 lbs.	13.50"	\$859.00
HM77R	37117	.223 Rem.	5	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.25 lbs.	13.50"	\$859.00
HM77R	37119	.243 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77R	37120	.25-06 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	8.25 lbs.	13.50"	\$859.00
HM77R	37151	6.5 Creedmoor	4	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.00"	7.25 lbs.	13.50"	\$859.00
HM77R	37115	.257 Roberts	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.75"	8.00 lbs.	13.50"	\$859.00
HM77R	37121	.270 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.75"	8.00 lbs.	13.50"	\$859.00
HM77R	37122	7mm Rem. Mag.	3	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	8.25 lbs.	13.50"	\$859.00
HM77R	37123	7mm-08 Rem.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77R	37125	.30-06 Sprg.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.75"	7.50 lbs.	13.50"	\$859.00
HM77R	37126	.300 Win. Mag.	3	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	8.00 lbs.	13.50"	\$859.00
HM77R	37110	.300 RCM	3	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77R	37124	.308 Win.	4	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77R	37127	.338 Win. Mag.	3	Alloy Steel/ Satin Blued	American Walnut	None	24"	44.75"	7.88 lbs.	13.50"	\$859.00
HM77R	37109	.338 RCM	3	Alloy Steel/ Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00






HKM77RFP • .204 Ruger



Black Rubber Buttstock for Recoil Reduction, features Ruger Logo



Black Synthetic Stock

MODELS:

M77® HAWKEYE® ALL-WEATHER®

Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HKM77RFP	7114	.204 Ruger	5	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.00"	7.25 lbs.	13.50"	\$859.00
HKM77RFP	7116	.22-250 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.25 lbs.	13.50"	\$859.00
HKM77RFP	7115	.223 Rem.	5	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.25 lbs.	13.50"	\$859.00
HKM77RFP	7117	.243 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HKM77RFP	7118	.25-06 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.75"	8.00 lbs.	13.50"	\$859.00
HKM77RFP	37105	6.5 Creedmoor	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.00"	7.00 lbs.	13.50"	\$859.00
HKM77RFP	7119	.270 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.75"	7.75 lbs.	13.50"	\$859.00
HKM77RFP	7121	7mm Rem. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.75"	8.00 lbs.	13.50"	\$859.00
HKM77RFP	7122	7mm-08 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HKM77RFP	7124	.30-06 Sprg.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.75"	7.25 lbs.	13.50"	\$859.00
HKM77RFP	7125	.300 Win. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.75"	7.75 lbs.	13.50"	\$859.00
HKM77RFP	37111	.300 RCM	3	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.75 lbs.	13.50"	\$859.00
HKM77RFP	7123	.308 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HKM77RFP	37112	.338 RCM	3	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	22"	42.00"	7.75 lbs.	13.50"	\$859.00
HKM77RFP	7126	.338 Win. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Synthetic	None	24"	44.75"	7.75 lbs.	13.50"	\$859.00



HM77LR • .204 Ruger

MODELS:

M77® HAWKEYE® STANDARD LEFT-HANDED

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77LR	37144	.204 Ruger	5	Alloy Steel/Satin Blued	American Walnut	None	24"	44.00"	7.25 lbs.	13.50"	\$859.00
HM77LR	37146	.22-250 Rem.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.00"	7.50 lbs.	13.50"	\$859.00
HM77LR	37143	.223 Rem.	5	Alloy Steel/Satin Blued	American Walnut	None	22"	42.00"	7.25 lbs.	13.50"	\$859.00
HM77LR	37145	.243 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77LR	37129	.25-06 Rem.	4	Alloy Steel/Satin Blued	American Walnut	None	24"	44.75"	8.25 lbs.	13.50"	\$859.00
HM77LR	37134	.270 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.75"	8.00 lbs.	13.50"	\$859.00
HM77LR	37131	7mm Rem. Mag.	3	Alloy Steel/Satin Blued	American Walnut	None	24"	44.75"	8.25 lbs.	13.50"	\$859.00
HM77LR	37147	7mm-08 Rem.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00
HM77LR	37130	.30-06 Sprg.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.75"	7.50 lbs.	13.50"	\$859.00
HM77LR	37132	.300 Win. Mag.	3	Alloy Steel/Satin Blued	American Walnut	None	24"	44.75"	8.00 lbs.	13.50"	\$859.00
HM77LR	37148	.308 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	22"	42.00"	7.00 lbs.	13.50"	\$859.00


THE RUGER® M77® HAWKEYE®



HM77CR • .223 Rem.

**6.25 lbs.
AND UNDER**

Our Lightest Hawkeye® Rifle



Features 16.50"
Barrel Length

MODELS:

M77® HAWKEYE® COMPACT											
Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77CR	37137	.223 Rem.	5	Alloy Steel/Satin Blued	American Walnut	None	16.50"	35.50"	6.25 lbs.	12.50"	\$859.00
HM77CR	37138	.243 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	16.50"	35.50"	6.00 lbs.	12.50"	\$859.00
HM77CR	37140	7mm-08 Rem.	4	Alloy Steel/Satin Blued	American Walnut	None	16.50"	35.50"	6.00 lbs.	12.50"	\$859.00
HM77CR	37141	7.62 x 39mm	4	Alloy Steel/Satin Blued	American Walnut	None	16.50"	35.50"	5.75 lbs.	12.50"	\$859.00
HM77CR	37139	.308 Win.	4	Alloy Steel/Satin Blued	American Walnut	None	16.50"	35.50"	5.75 lbs.	12.50"	\$859.00



HKM77CRBBZ • .223 Rem.

MODELS:

M77® HAWKEYE® LAMINATE COMPACT											
Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HKM77CRBBZ	17107	.223 Rem.	5	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	16.50"	35.50"	6.50 lbs.	12.50"	\$929.00
HKM77CRBBZ	17108	.243 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	16.50"	35.50"	6.25 lbs.	12.50"	\$929.00
HKM77CRBBZ	17111	7mm-08 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	16.50"	35.50"	6.25 lbs.	12.50"	\$929.00
HKM77CRBBZ	17110	.308 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	16.50"	35.50"	6.00 lbs.	12.50"	\$929.00




HM77RCM • .300 RCM



Brass Bead Front Sight



Fully Adjustable Williams
"U" Notch Rear Sight



Floorplate Features
Engraved "Ruger Compact
Magnum" Designation

MODELS:

M77® RUGER COMPACT MAGNUM

Catalog Number	Model Number	Caliber	Capacity	Option	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77RCM	37135	.300 RCM	3	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Brass Bead Front, "U" Notch Rear	20"	40.00"	6.75 lbs.	13.00"	\$929.00
HM77LRCM	37149	.300 RCM	3	Left-Handed	Alloy Steel/Satin Blued	American Walnut	Brass Bead Front, "U" Notch Rear	20"	40.00"	6.75 lbs.	13.00"	\$929.00
HM77RS	37101	.308 Win.	4	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Brass Bead Front, "U" Notch Rear	20"	40.00"	6.75 lbs.	13.00"	\$929.00
HM77RCM	37136	.338 RCM	3	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Brass Bead Front, "U" Notch Rear	20"	40.00"	6.75 lbs.	13.00"	\$929.00
HM77LRCM	37150	.338 RCM	3	Left-Handed	Alloy Steel/Satin Blued	American Walnut	Brass Bead Front, "U" Notch Rear	20"	40.00"	6.75 lbs.	13.00"	\$929.00



HM77RS • .223 Rem.



Front Swivel Base
Located on Barrel



Large White Bead
Front Sight



Shallow, "Express-Style"
Windage Adjustable "V"
Notch Rear Sight

MODELS:

M77® HAWKEYE® AFRICAN

Catalog Number	Model Number	Caliber	Capacity	Option	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77RS	37158	.223 Rem.	5	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.00"	7.75 lbs.	13.50"	\$1,099.00
HM77RS	37113	9.3 x 62	4	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.75"	7.75 lbs.	13.50"	\$1,099.00
HM77RS	37153	.300 Win. Mag.	3	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.75"	7.75 lbs.	13.50"	\$1,099.00
HM77RS	37152	.338 Win. Mag.	3	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.75"	7.75 lbs.	13.50"	\$1,099.00
HM77RS	37128	.375 Ruger	3	Right-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.75"	7.75 lbs.	13.50"	\$1,099.00
HM77LRS	37133	.375 Ruger	3	Left-Handed	Alloy Steel/Satin Blued	American Walnut	Bead Front, Adjustable Rear	23"	43.75"	7.75 lbs.	13.50"	\$1,099.00

NEW

THE RUGER® M77® HAWKEYE®




HKM77RSPHHM • .375 Ruger



Front Swivel Base
Located on Barrel




Large White Bead
Front Sight



Shallow, "Express-Style"
Windage Adjustable "V"
Notch Rear Sight

MODELS:

M77® HAWKEYE® ALASKAN											
Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HKM77 RSPHHM	7179	.375 Ruger	3	Stainless Steel/Hawkeye Matte Stainless	Black Hogue® OverMolded®	Bead Front, Adjustable Rear	20"	40.75"	8.00 lbs.	13.50"	\$1,099.00
HKM77 RSPHHM	17120	.416 Ruger	3	Stainless Steel/Hawkeye Matte Stainless	Black Hogue® OverMolded®	Bead Front, Adjustable Rear	20"	40.75"	7.75 lbs.	13.50"	\$1,099.00




HKM77RBBZ • .243 Win.

MODELS:

M77® HAWKEYE® SPORTER											
Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HKM77RBBZ	17188	.243 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	22"	42.00"	7.50 lbs.	13.50"	\$929.00
HKM77RBBZ	17189	.270 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	22"	42.75"	7.50 lbs.	13.50"	\$929.00
HKM77RBBZ	37162	.280 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	22"	42.75"	7.50 lbs.	13.50"	\$929.00
HKM77RBBZ	17190	7mm Rem. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	24"	44.75"	8.00 lbs.	13.50"	\$929.00
HKM77RBBZ	17192	.30-06 Sprg.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	22"	42.75"	7.50 lbs.	13.50"	\$929.00
HKM77RBBZ	17193	.300 Win. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	24"	44.75"	8.50 lbs.	13.50"	\$929.00
HKM77RBBZ	17191	.308 Win.	4	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	22"	42.00"	7.50 lbs.	13.50"	\$929.00
HKM77RBBZ	17194	.338 Win. Mag.	3	Stainless Steel/Hawkeye Matte Stainless	Black Laminate	None	24"	44.75"	8.25 lbs.	13.50"	\$929.00

NEW





HM77VLEHFS • .223 Rem.



Featuring Unique, Two-Stage, Adjustable Target Trigger (Not LC6™ Trigger) with a Short "Take-Up" Stage, Followed by a Crisp, Light Target Pull with No Creep or Overtravel



Heavy Barrel with Flash Suppressor



Precision-Adjustable, Swivel-Style Harris Bipod for Rock Steady Sighting Included


MODELS:

M77® HAWKEYE® TACTICAL (WITH FLASH SUPPRESSOR AND HARRIS BIPOD)

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HM77VLEHFS	37114	.223 Rem.	5	Alloy Steel/Hawkeye Matte Blued	Black Hogue® OverMolded®	None	20"	41.50"	8.75 lbs.	13.50"	\$1,199.00
HM77VLEHFS	37108	.308 Win.	4	Alloy Steel/Hawkeye Matte Blued	Black Hogue® OverMolded®	None	20"	41.50"	8.75 lbs.	13.50"	\$1,199.00



HKM77R-Z • .204 Ruger



Featuring Unique, Two-Stage, Adjustable Target Trigger (Not LC6™ Trigger) with a Short "Take-Up" Stage, Followed by a Crisp, Light Target Pull with No Creep or Overtravel

MODELS:

M77® HAWKEYE® PREDATOR

Catalog Number	Model Number	Caliber	Capacity	Material	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
HKM77R-Z	17123	.204 Ruger	5	Stainless Steel/Hawkeye Matte Stainless	Green Mountain	None	24"	44.00"	8.00 lbs.	13.50"	\$999.00
HKM77R-Z	17121	.22-250 Rem.	4	Stainless Steel/Hawkeye Matte Stainless	Green Mountain	None	24"	44.00"	8.00 lbs.	13.50"	\$999.00
HKM77R-Z	17122	.223 Rem.	5	Stainless Steel/Hawkeye Matte Stainless	Green Mountain	None	22"	42.00"	7.75 lbs.	13.50"	\$999.00



THE **RUGER**® M77® MARK II™ TARGET



Non-Rotating, Mauser-Type Controlled Round Feed Extractor




Unique Two-Stage Target Trigger



Ruger® M77® Mark II™ Target rifles are time-tested, bolt-action, special-application rifles at a great value. These rifles feature a matte stainless finish that resists corrosion. The heavy contour, hammer-forged barrel with target crown provides long-range accuracy shot after shot.



Hinged Solid-Steel Floorplate



Three-Position Safety



KM77VTBBZ • .204 Ruger

FEATURES:

- Unique two-stage target trigger featuring a short “take-up” stage, followed by a crisp, light target pull with no creep or overtravel.
- Non-rotating, Mauser-type controlled round feed extractor is the most positive case extraction system ever invented, and features a fixed blade-type ejector that positively ejects the empty cases as the bolt is moved fully rearward.
- Hinged solid-steel floorplate for easy unloading without having to chamber each cartridge and a patented latch that is flush with trigger guard to avoid accidental dumping of cartridges.
- Three-position safety is easily accessible and allows the shooter to lock the bolt or to load and unload the rifle with the safety engaged.
- Patented integral scope mounts, machined directly on the solid-steel receiver, provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Also Includes: rugged one-piece, stainless steel bolt; studs for mounting sling swivels.

MODELS:

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
KM77VTBBZ	17974	.204 Ruger	5	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.00"	9.75 lbs.	13.50"	\$999.00
KM77VTBBZ	17976	.22-250 Rem.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.00"	9.75 lbs.	13.50"	\$999.00
KM77VTBBZ	17975	.223 Rem.	5	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.00"	9.75 lbs.	13.50"	\$999.00
KM77VTBBZ	17977	.243 Win.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.00"	9.75 lbs.	13.50"	\$999.00
KM77VTBBZ	17978	.25-06 Rem.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.75"	9.50 lbs.	13.50"	\$999.00
KM77VTBBZ	17980	6.5 Creedmoor	4	Stainless Steel/Matte Stainless	Black Laminate	None	28"	48.00"	9.50 lbs.	13.50"	\$999.00
KM77VTBBZ	17979	.308 Win.	4	Stainless Steel/Matte Stainless	Black Laminate	None	26"	46.00"	9.25 lbs.	13.50"	\$999.00

RUGER® ROTARY MAGAZINE RIFLES



Solid, Heat-Treated Alloy and Stainless Steel Actions



Three-Position Safety



In 1983, Ruger® responded to the many shooters who desired a high-quality, adult-size .22 rimfire rifle - one that was built to centerfire standards of strength, accuracy and aesthetics. Focused on building a rifle that was accurate, economical, and extremely handsome, Bill Ruger launched the family of bolt-action rifles using **the rotary magazine.**




Patented Detachable Rotary Magazine (.22 Models Only)




Patented Integral Scope Mounts (Optics Not Included)



77/17-RM • .17 HMR



K77/22-VBZ • .22 LR



K77/44-RSP • .44 Mag.

FEATURES:

- Patented integral scope mounts, machined directly on the solid-steel receiver provide a stable mounting surface for scope rings, eliminating a potential source of looseness and inaccuracy in the field (scope rings included).
- Three-position safety is easily accessible and allows the shooter to lock the bolt to load and unload the rifle with the safety engaged.
- Solid, heat-treated alloy and stainless steel actions that feature a rugged, right-hand turning bolt with 90° bolt lift and ultra-fast lock time for added accuracy.
- Patented detachable rotary magazine (.22 Models only) features a unique rotor to separate cartridges and provide reliable feeding; mounts flush with the stock to eliminate protrusions at the rifle's balance point.
- Also Includes: sling swivel stud mounts.

RUGGED, RELIABLE FIREARMS



RUGER® ROTARY MAGAZINE RIFLES



K77/17-VMBBZ • .17 HMR



Chambered in
.17 HMR

MODELS:

77/17®											
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
77/17-RM	7024	.17 HMR	9	Alloy Steel/ Blued	American Walnut	None	22.00"	41.25"	6.50 lbs.	13.50"	\$829.00
K77/17-VMBBZ	7027	.17 HMR	9	Stainless Steel/ Target Grey®	Black Laminate	None	24.00"	43.25"	7.50 lbs.	13.50"	\$929.00



K77/22-VBZ • .22 LR



Available in the Inexpensive .22 LR,
.22 Mag., or .22 Hornet

MODELS:

77/22®											
Catalog Number	Model Number	Caliber	Capacity	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
77/22-R	7002	.22 LR	10	Alloy Steel/ Blued	American Walnut	None	20.00"	39.25"	6.50 lbs.	13.50"	\$829.00
K77/22-RP	7009	.22 LR	10	Stainless Steel/ Brushed Stainless	Black Synthetic	None	20.00"	39.25"	6.00 lbs.	13.50"	\$829.00
K77/22-VBZ	7021	.22 LR	10	Stainless Steel/ Target Grey®	Brown Laminate	None	24.00"	43.25"	7.50 lbs.	13.50"	\$929.00
77/22-RM	7015	.22 Mag.	9	Alloy Steel/ Blued	American Walnut	None	20.00"	39.25"	6.50 lbs.	13.50"	\$829.00
K77/22-RMP	7016	.22 Mag.	9	Stainless Steel/ Brushed Stainless	Black Synthetic	None	20.00"	39.25"	6.00 lbs.	13.50"	\$829.00
K77/22-VMBZ	7019	.22 Mag.	9	Stainless Steel/ Target Grey®	Brown Laminate	None	24.00"	43.25"	7.50 lbs.	13.50"	\$929.00
77/22-RH	7201	.22 Hornet	6	Alloy Steel/ Blued	American Walnut	None	20.00"	39.25"	6.50 lbs.	13.50"	\$829.00
K77/22-VHZ	7204	.22 Hornet	6	Stainless Steel/ Target Grey®	Green Mountain	None	24.00"	43.25"	7.50 lbs.	13.50"	\$929.00


NEW



K77/357-RSP • .357 Mag.



Gold Bead Front Sight



Adjustable Rear Sight




Solid, Heat-Treated
Stainless Steel Action


MODELS:

77/357™

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
K77/357-RSP	7405	.357 Mag.	5	Stainless Steel/ Brushed Stainless	Black Synthetic	Bead Front, Adjustable Rear	18.50"	38.50"	5.50 lbs.	13.50"	\$829.00 NEW




K77/44-RSP • .44 Mag.



Black Blade Front Sight



Adjustable Rear Sight



Chambered in
.44 Mag.


MODELS:

77/44®-BLACK SYNTHETIC

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
K77/44-RSP	7402	.44 Mag.	4	Stainless Steel/ Brushed Stainless	Black Synthetic	Bead Front, Adjustable Rear	18.50"	38.50"	5.25 lbs.	13.50"	\$829.00




K77/44-RSPC • .44 Mag.



Black Blade Front Sight



Adjustable Rear Sight



Chambered in
.44 Mag.

MODELS:

77/44®-NEXT G1 VISTA CAMO

Catalog Number	Model Number	Caliber	Capacity	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
K77/44-RSPC	7408	.44 Mag.	4	Stainless Steel/ Brushed Stainless	Next G1 Vista Camo	Bead Front, Adjustable Rear	18.50"	38.50"	5.25 lbs.	13.50"	\$849.00

RUGER® No.1



Strong, Simple, Compact Falling Block Breech Mechanism



Robust and Sturdy, Sculptured Receiver



When you think of single-shot rifles, think of the best. Think **Ruger® No.1**, the standard for American-Made single-shot rifles. With a No.1 rifle for virtually every sporting activity, in calibers from .204 Ruger to the powerful 450/400 Nitro Express, you can find the configuration that is best for you – or you can collect them all.



Sliding Tang Safety



Patented Ruger® Scope Mounting System



1-V • .22-250 Rem.



1-RSI • .270 Win.

FEATURES:

- Sliding tang safety provides instant security, visibility and accessibility.
- Strong, simple, compact falling block breech mechanism with artillery-style breechblock and under-lever is ideally suited for powerful cartridges.
- Robust and sturdy, sculptured receiver forms a rigid support for barrel, stock and sliding breech block.
- Ejector mechanism provides maximum leverage at the point where the ejector engages the cartridge case and can be adjusted to provide extraction only.
- Patented integral scope mounts, machined directly on the solid steel quarter rib, provide a stable mounting surface for scope rings (included, Varminter models feature scope mounting blocks).
- Also Includes: sporting style buttpad; grip cap; sling swivel studs.

RUGGED, RELIABLE FIREARMS



RUGER® No.1



1-A • .300 RCM



Bead Front Sight



Adjustable Rear Sight



Alexander Henry-Style Forend

MODELS:

NO.1 LIGHT SPORTER										
Catalog Number	Model Number	Caliber	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-A	1301	.243 Win.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-A	1302	.270 Win.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.00 lbs.	13.50"	\$1,299.00
1-A	1304	.30-06 Sprg.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.00 lbs.	13.50"	\$1,299.00
1-A	11336	.300 RCM	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-A	11348	.303 British	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-A	11359	.308 Win.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-A	11356	6.5 Creedmoor	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00




1-V • .22-.250 Rem.




Scope Mounting Blocks

MODELS:


NO.1 VARMINTER										
Catalog Number	Model Number	Caliber	Material/Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-V	1330	.22-250 Rem.	Alloy Steel/Blued	American Walnut	None	24"	40.50"	8.75 lbs.	13.50"	\$1,299.00
1-V	1337	.223 Rem.	Alloy Steel/Blued	American Walnut	None	24"	40.50"	8.75 lbs.	13.50"	\$1,299.00
1-V	1331	.25-06 Rem.	Alloy Steel/Blued	American Walnut	None	24"	40.50"	8.50 lbs.	13.50"	\$1,299.00
1-V	11362	6.5 Creedmoor	Alloy Steel/Blued	American Walnut	None	24"	40.50"	8.50 lbs.	13.50"	\$1,299.00



Bead Front Sight



Adjustable Rear Sight




Alexander Henry-
Style Forend


MODELS:

NO.1 TROPICAL

Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-H	1320	.375 H&H	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	24"	40.50"	9.25 lbs.	13.50"	\$1,299.00
1-H	11324	450/400 Nitro Express	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	24"	40.50"	7.75 lbs.	13.50"	\$1,299.00
1-H	11308	.458 Lott	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	24"	40.50"	9.00 lbs.	13.50"	\$1,299.00



Bead Front Sight



Adjustable Rear Sight

MODELS:

NO.1 INTERNATIONAL

Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-RSI	1363	.270 Win.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	20"	36.50"	7.00 lbs.	13.50"	\$1,349.00
1-RSI	1364	7 x 57	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	20"	36.50"	7.00 lbs.	13.50"	\$1,349.00
1-RSI	1362	.30-06 Sprg.	Alloy Steel/Blued	American Walnut	Bead Front, Adjustable Rear	20"	36.50"	7.00 lbs.	13.50"	\$1,349.00

RUGER® No.1



Bead Front Sight



Adjustable Rear Sight



Alexander Henry-
Style Forend

MODELS:

NO.1 MEDIUM SPORTER										
Catalog Number	Model Number	Caliber	Material/ Finish	Stock	Sights	Barrel Length	Overall Length	Weight	Length of Pull	Suggested Retail
1-S	11345	.300 H&H	Alloy Steel Blued	American Walnut	Bead Front, Adjustable Rear	26"	42.50"	7.75 lbs.	13.50"	\$1,299.00
1-S	11363	.300 Win. Mag.	Alloy Steel/ Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.75 lbs.	13.50"	\$1,299.00
1-S	1327	.45-70 Gov't.	Alloy Steel/ Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-S	11340	.460 S&W Mag.	Alloy Steel/ Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.25 lbs.	13.50"	\$1,299.00
1-S	11337	.475 Linebaugh/ .480 Ruger	Alloy Steel/ Blued	American Walnut	Bead Front, Adjustable Rear	22"	38.50"	7.00 lbs.	13.50"	\$1,299.00






RUGER[®]
MAGAZINES &
ACCESSORIES



RUGER® MAGAZINES

PISTOL MAGAZINES

	22 CHARGER	MARK I	MARK II	MARK III	22/45 MARK II	22/45 MARK III	P85, P89, Serial #304-69999 and Below	P83, P84, P85, P89, Serial #304-70000 and Above	P90	P91 and P944, KP91, KP944 and PC4	P345	SR9	SR9c	SR40	SR40c	LCP	LC9	SR1911	SR22	Model No.	Part No.	Price
10-Shot, .22 LR Magazine	•																			90005	BX-1	\$17.95
10-Shot, Stainless, 9mm Magazine											•									90325	SR9MAG-10	\$43.95
17-Shot, Stainless, 9mm Magazine											•	•								90326	SR9/SR9CMAG-17	\$43.95
10-Shot, Blued, 9mm Magazine												•								90342	SR9CMAG-10	\$43.95
10-Shot, Blued, .22 LR Magazine				•																90045	AP-10	\$25.95
15-Shot, Blued, .40 S&W Magazine														•	•					90350	SR40/SR40CMAG-15	\$43.95
10-Shot, Blued, .40 S&W Magazine														•						90351	SR40MAG-10	\$43.95
10-Shot, Blued, .22 LR Magazine					•															90229	22/45MKIIIMAG10	\$25.95
9-Shot, Blued, .22 LR Magazine	•																			90062	M-9	\$25.95
10-Shot, Blued, .22 LR Magazine		•																		90046	M-10	\$25.95
10-Shot, Blued, .22 LR Magazine			•																	90231	MKIIIMAG-10	\$25.95
10-Shot, Stainless, 9mm Magazine						•														90052	KP-15-10	\$39.95
8-Shot, Stainless, .45 Auto Magazine							•		•											90001	KP-16/8	\$39.95
10-Shot, Blued, .40 Auto Magazine								•												90089	P-17/10	\$39.95
10-Shot, Blued, 9mm Magazine							•													90088	P-18/10	\$39.95
10-Shot, Stainless, 9mm Magazine							•													90098	P89/P95MAG-10	\$39.95
15-Shot, Stainless, 9mm Magazine							•													90233	P89/P95MAG-15	\$39.95
15-Shot, Blued, 9mm Magazine						•														90234	P15/15	\$39.95
8-Shot, Blued, .45 Auto Magazine										•										90230	P163	\$39.95
Magazine finger extension												•			•					90343	SR9EXTMAG-10	\$8.00
17-Shot Magazine Sleeve												•			•					90341	SR9C/SR40CSLEEVE	\$8.00
9-Shot, Blued, .40 S&W Magazine															•					90367	SR40CMAG-9	\$43.95
9-Shot, Blued, .40 S&W Magazine with finger extension															•					90368	SR40CEXTMAG-9	\$43.95
6-Shot, Blued, .380 Auto Magazine																•				90330	LCPMAG-6	\$27.95
6-Shot, Blued, .380 Auto Magazine with finger extension																•				90333	LCPEXTMAG-6	\$33.95
7-Shot, Blued, 9mm Magazine, Flat Floorplate																	•			90362	LC9MAG-7	\$33.95
7-Shot, Blued, 9mm Magazine, Extended Floorplate																	•			90363	LC9EXTMAG-7	\$37.95
8-Shot, Stainless, .45 Magazine Extended Floorplate																		•		90365	SR1911MAG-8	\$35.95
7-Shot, Stainless, .45 Magazine																		•		90366	SR1911MAG-7	\$29.95
10-Shot, Blued, .22 LR Magazine																		•		90380	SR22PMAG-10	\$34.95





RIFLE MAGAZINES

	MINI-14 and MINI-14 RANCH	MINI THIRTY	MINI-14 6.8 SPC	77/22, 96/22LR	77/17, 77/22M, 96/17, 96/22M, 10/22 MAG.	77/22 HORNET	77/357, .357 MAG.	77/44, .44 MAG.	10/22, 10/22T, SR22 RIFLE	MODEL NINETY-SIX, .44 MAG.	PC4 CARBINE	PC9 CARBINE	SR-556	SR-556 6.8 SPC	GUNSITE SCOUT RIFLE	RUGER AMERICAN RIFLE	Model No.	Part No.	Price
10-Shot, 5.56mm NATO/.223 Rem. Magazine													•				90384	SR556MAG-10	\$16.95
25-Shot, 6.8mm Magazine														•			90348	NS12704	\$49.95
5-Shot, 6.8mm Magazine														•			90349	NS12702	\$27.95
5-Shot, .223 Rem. Magazine	•																90009	MAG/5	\$27.95
10-Shot, .223 Rem. Magazine	•																90339	MAG/10	\$39.95
20-Shot, .223 Rem. Magazine	•																90010	MAG/20	\$39.95
30-Shot, .223 Rem. Magazine	•																90035	MAG/30	\$49.95
5-Shot, 7.62 x 39mm Magazine		•															90012	MAG/762	\$27.95
20-Shot, 7.62 x 39mm Magazine		•															90338	MAG/762-20	\$39.95
5-Shot, 6.8 Magazine			•														90332	MAG/68	\$27.95
10-Shot, .22 LR Magazine				•													90057	JX-1	\$17.95
9-Shot, .22 WMR, .17 HMR Magazine					•												90076	JMX-1	\$19.95
6-Shot, .22 Hornet Magazine						•											90090	JHX-1	\$31.95
5-Shot, .357 Mag. Magazine							•										90345	MAG-77/357	\$37.95
4-Shot, .44 Mag. Magazine								•									90176	MAG-77/44	\$37.95
10-Shot, .22 LR Magazine									•								90005	BX-1	\$17.95
10-Shot, Clear .22 LR Magazine									•								90223	BX-1-CLR	\$19.95
5-Shot, .22 LR Magazine									•								90041	BX-1-5	\$17.95
25-Shot, .22 LR Magazine									•								90361	BX-25	\$29.95
1-Shot, .22 LR Magazine									•								90344	BX-1-1	\$17.95
4-Shot, .44 Rem. Mag. Magazine										•							90174	MAG-96/44	\$37.95
4-Shot, .44 Rem. Mag. Magazine											•						90186	CS22706-ACC	\$37.95
10-Shot, .40 Auto Magazine												•					90089	P-17/10	\$39.95
10-Shot, 9mm Magazine													•				90088	P-18/10	\$39.95
15-Shot, Stainless 9mm Magazine													•				90233	KP18/15	\$39.95
5-Shot, Black Oxide Steel, .308 Magazine														•			90352	D22724	\$65.95
10-Shot, Black Oxide Steel, .308 Magazine														•			90353	D22725	\$71.95
5-Shot, Glass-Filled Nylon, .308 Magazine														•			90354	MAG-M77-5P	\$39.95
10-Shot, Glass-Filled Nylon, .308 Magazine														•			90355	MAG-M77-10P	\$39.95
3-Shot, Glass-Filled Nylon, .308 Magazine														•			90374	MAG-M77-3P	\$39.95
4-Shot, Long-Action Magazine															•		90385	AMER L/A MAG	\$39.95
4-Shot, Short-Action Magazine															•		90392	AMER S/A MAG	\$39.95


NOTE: Some magazines are not available for sale in all states and locales due to laws and regulations limiting magazine capacity. Prior to purchasing, please check your state and local regulations to verify that you may legally possess such magazines.

RUGER® SCOPE RINGS

Ruger® scope rings are packaged individually, allowing you to purchase only the ring needed, or mix and match, without the added expense of purchasing two rings at a time. For example, the Ruger® M77® Hawkeye® rifles are shipped from the factory with a #4 front ring and a #5 rear ring, which translates to a medium height scope mount. If you desire a high scope mount, you only need to mount the #5 ring on the front scope mount, and purchase one new #6 ring to mount on the rear scope mount.

			K77/22 Varmint-22 LR and 22 Mag. (Stainless)											
			99/44 (Deerfield), 77/22-RH, and RSH (Hornet)											
			77/44-S (Blue), Mini-14, Mini Thirty Ranch (Blue), and Redhawk RH-44R (Blue)											
			Single-Six Hunter											
			K77/44RSP (Stainless) and Redhawk KRH-44R (Blue)											
			KMini-14 and Mini Thirty Ranch (Stainless)											
			PC9 and PCA Carbine (Blue)											
			K77/22-VKZ Hornet Varmint, K77/17-.17 HMR, and 17 HM2											
			Super Redhawk .44 Mag. (Stainless)											
			Super Redhawk - 454 Casull and 480 Ruger											
			Mark II and Mark III Pistols (Stainless)											
1" SCOPE TUBE DIAMETER	32MM	Low	Front	—	—	—	3K 90281	—	—	—	—	4K 90282	4KTG 90294	3K 90281
			Rear	—	—	—	3K 90281	—	—	—	—	3K 90281	3KTG 90293	3K 90281
	42MM	Medium	Front	4KTG 90294	4B 90270	4B 90270	4K 90282	4K 90282	4KHM 90290	4B 90270	4KTG 90294	5K 90283	5KTG 90295	4K 90282
			Rear	4KTG 90294	4B 90270	4B 90270	4K 90282	4K 90282	4KHM 90290	4B 90270	4KTG 90294	4K 90282	4KTG 90294	4K 90282
	52MM	High	Front	5KTG 90295	5B 90271	5B 90271	5K 90283	5K 90283	5KHM 90291	5B 90271	5KTG 90295	6K 90284	6KTG 90296	5K 90283
			Rear	5KTG 90295	5B 90271	5B 90271	5K 90283	5K 90283	5KHM 90291	5B 90271	5KTG 90295	5K 90283	5KTG 90295	5K 90283
30MM SCOPE TUBE DIAMETER	62MM	X-High	Front	6KTG 90296	6B 90272	6B 90272	6K 90284	6K 90284	6KHM 90292	6B 90272	6KTG 90296	—	—	6K 90284
			Rear	6KTG 90296	6B 90272	6B 90272	6K 90284	6K 90284	6KHM 90292	6B 90272	6KTG 90296	—	—	6K 90284
	42MM	30mm Med.	Front	4K30 90285	4B30 90273	4B30 90273	4K30 90285	4K30 90285	4K30 90285	4B30 90273	4K30 90285	5K30 90286	5K30 90286	4K30 90285
			Rear	4K30 90285	4B30 90273	4B30 90273	4K30 90285	4K30 90285	4K30 90285	4B30 90273	4K30 90285	4K30 90285	4K30 90285	4K30 90285
	52MM	30mm High	Front	5K30 90286	5B30 90274	5B30 90274	5K30 90286	5K30 90286	5K30 90286	5B30 90274	5K30 90286	6K30 90287	6K30 90287	5K30 90286
			Rear	5K30 90286	5B30 90274	5B30 90274	5K30 90286	5K30 90286	5K30 90286	5B30 90274	5K30 90286	5K30 90286	5K30 90286	5K30 90286
1" SCOPE TUBE DIAMETER OFFSET	62MM	30mm X-High	Front	6K30 90287	6B30 90275	6B30 90275	6K30 90287	6K30 90287	6K30 90287	6B30 90275	6K30 90287	—	—	6K30 90287
			Rear	6K30 90287	6B30 90275	6B30 90275	6K30 90287	6K30 90287	6K30 90287	6B30 90275	6K30 90287	—	—	6K30 90287
	42MM	Offset Med.	Front	—	—	—	—	—	—	—	—	—	—	—
			Rear	—	—	—	—	—	—	—	—	—	—	—
	42MM	Double Offset Med.	Front	—	—	—	—	—	4KO* 90288	—	—	—	—	—
			Rear	—	—	—	—	—	4KO* 90288	—	—	—	—	—

All rings are for 1" tube diameter EXCEPT those marked 30mm which are for 30mm diameter scopes.





Scope ring heights will be identified by a number manufactured into the lower half of the ring. Below is a ring chart showing the part number and catalog number for each scope ring. When ordering scope rings, please use the 5-digit catalog no. (90XXX). If you have questions about which rings fit your pistol or PC carbine rifle, please contact the Arizona Customer Service Department at **928-541-8892**. Questions about rifle or revolver scope rings should be directed to the New Hampshire Customer Service Department at **603-865-2442**.

Mark II, Mark III Pistols (Blue)															HM77R, HM77RS, HM77RSPHAB (Hawkeye Matte Blue)															HKM77RFP (Hawkeye Matte Stainless)															M77, MKII, M77 (Blue), M77RSEXP MKII, M77RMS MKII (Blue)															M77FRBZ (Frontier)															KM77FRTG Target Grey Frontier Barrel Mount															KM77MKII (Stainless)															KM77MKIIT (Target Grey Stainless)															No. 1-A, 1-H, 1-RS1, 1-S, 7750RS (Blue)															No. 1-V, 1-B (Blue)															K1-B, K1-V, K1-H, K1-S (Stainless)															10/22 Mag., 96/44, 77/22-22LR and Mag., 77/17 (Blue)															K77/22-22LR and .22WMR (Stainless)														
3B 90269	3BHM 90277	3KHM 90289	3B 90269	3B 90269	3KTG 90293	—	3K 90281	3KTG 90293	3B 90269	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281																																																																																																																																																																					
3B 90269	4BHM 90278	4KHM 90290	4B 90270	3B 90269	3KTG 90293	—	4K 90282	4KTG 90294	3B 90269	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281	3B 90269	3K 90281																																																																																																																																																																					
4B 90270	4BHM 90278	4KHM 90290	4B 90270	4B 90270	4KTG 90294	5KTG 90295	4K 90282	4KTG 90294	4B 90270	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282																																																																																																																																																																					
4B 90270	5BHM 90279	5KHM 90291	5B 90271	4B 90270	4KTG 90294	6KTG 90296	5K 90283	5KTG 90295	4B 90270	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282																																																																																																																																																																					
5B 90271	5BHM 90279	5KHM 90291	5B 90271	5B 90271	5KTG 90295	—	5K 90283	5KTG 90295	5B 90271	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283																																																																																																																																																																					
5B 90271	6BHM 90280	6KHM 90292	6B 90272	5B 90271	5KTG 90295	—	6K 90284	6KTG 90296	5B 90271	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283	5B 90271	5K+ 90283																																																																																																																																																																					
6B 90272	—	—	—	6B 90272	6KTG 90296	—	—	—	6B 90272	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284																																																																																																																																																																					
6B 90272	—	—	—	6B 90272	6KTG 90296	—	—	—	6B 90272	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284	6B 90272	6K 90284																																																																																																																																																																					
4B30 90273	4B30HM 90321	4K30HM 90318	4B30 90273	4B30 90273	4K30 90285	—	4K30 90285	4K30 90285	4B30 90273	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285																																																																																																																																																																					
4B30 90273	5B30HM 90322	5K30HM 90319	5B30 90274	4B30 90273	4K30 90285	—	5K30 90286	5K30 90286	4B30 90273	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285	4B30 90273	4K30 90285																																																																																																																																																																					
5B30 90274	5B30HM 90322	5K30HM 90319	5B30 90274	5B30 90274	5K30 90286	—	5K30 90286	5K30 90286	5B30 90274	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286																																																																																																																																																																					
5B30 90274	6B30HM 90323	6K30HM 90320	6B30 90275	5B30 90274	5K30 90286	—	6K30 90287	6K30 90287	5B30 90274	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286	5B30 90274	5K30 90286																																																																																																																																																																					
6B30 90275	—	—	—	6B30 90275	6K30 90287	—	—	—	6B30 90275	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287																																																																																																																																																																					
6B30 90275	—	—	—	6B30 90275	6K30 90287	—	—	—	6B30 90275	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287	6B30 90275	6K30 90287																																																																																																																																																																					
—	4B0* 90276	4K0* 90288	4B0* 90276	—	—	—	4K0* 90288	4K0* 90288	4B0* 90276	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288																																																																																																																																																																					
—	5B 90271	5K 90283	5B 90271	—	—	—	5K 90283	5K 90283	4B 90270	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282	4B 90270	4K 90282																																																																																																																																																																					
—	—	—	—	—	—	—	—	—	4B0* 90276	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288																																																																																																																																																																					
—	—	—	—	—	—	—	—	—	4B0* 90276	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288	4B0* 90276	4K0* 90288																																																																																																																																																																					

Scope Ring Designations

3 – Low scope ring
4 – Medium scope ring
5 – High scope ring
6 – Extra high scope ring
B – Alloy
K – Stainless

M – Matte
HM – Hawkeye Matte
TG – Target Grey®
30 – 30mm
O – Offset

Red Type – Indicates model rings shipped with firearm
Black Type – Indicates alternate size and configuration available for that model firearm

+ – 5K scope rings are shipped with K1-H and K1-S rifles
* – Indicates offset rings which feature one or two rings (single, double) that are offset to the rear by 1/2" to allow rearward positioning of the scope

Alloy (B) scope rings \$34.00 ea.
Stainless (K) scope rings \$40.50 ea.

RUGER® CUSTOMER SERVICE

Customer Service - Newport, NH

Service inquires for Shotguns, Revolvers, 22 Charger™ Pistols and all Rifles except PC4/PC9 Carbines.

Sturm, Ruger & Co., Inc.
Customer Service Department
411 Sunapee Street
Newport, NH 03773

Telephone: 603-865-2442

Fax: 603-863-6165 (Monday through Friday 8:00am - 5:00pm ET)

Customer Service - Prescott, AZ

Service inquires for PC4/PC9 Carbines and all Pistols except the 22 Charger Pistol.

Sturm, Ruger & Co., Inc.
Customer Service Department
200 Ruger Road
Prescott, AZ 86301

Telephone: 928-541-8892

Fax: 928-778-6633 (Monday through Friday 8:00am - 5:00pm MT)

Ruger® Export Firearms Sales - FOR INTERNATIONAL CUSTOMERS ONLY

411 Sunapee Street
Newport, NH 03773

Telephone: 603-865-2424

Fax: 603-863-9371



PARTS



ACCESSORIES



SPORTSWEAR




PERSONAL DEFENSE

Shop
RUGER
.COM

RUGER® SPORTSWEAR & ACCESSORIES

WWW.RUGER.COM



RUGER® LEGAL INFORMATION AND CONTACT

LCP® RECALL NOTICE: During 2008, Ruger® received a small number of reports from the field indicating that LCP® pistols discharged when dropped onto a hard surface with a round in the chamber. We are firmly committed to safety and would like to retrofit all affected LCP® Pistols. The retrofit involves installation of an upgraded hammer mechanism at no charge to the customer.



We want to remind gun users that, for maximum safety when carrying any pistol with a loaded magazine in place, the chamber should be empty, and the slide should be closed. Any gun may fire if dropped or struck.

How to determine if your pistol needs the retrofit: All LCP® pistols bearing prefix "370" (that is, serial number 370-xxxx) may be affected. Newly manufactured and retrofitted "370" prefix LCP® pistols with the new hammer mechanism installed have been marked with a diamond in the flat portion of the slot just behind and below the hammer, as shown to the right. If your pistol has the diamond, it does not need the retrofit. Going forward, new pistols will be marked with the serial number prefix "371" (serial number 371-xxxx). Pistols with the "371" prefix (or higher) are not affected. When we return your pistol, we also will send you a FREE magazine *with the new finger grip extension* as a "thank you" for your patience and cooperation. Visit www.RUGER.COM/LCPRECALL for more information.

SR9® RECALL NOTICE: We have determined that some Ruger® SR9® pistols manufactured between October 2007 and April 2008 can, under certain conditions, fire if dropped with their manual safeties in the "off" or "fire" position. The pistols will not fire if the manual safety is in the "on" or "safe" position.

We have designed a new trigger group which prevents firing when dropped and are retrofitting all Ruger® SR9® pistols starting with serial number prefix "330" (330-xxxx) with these new parts at NO CHARGE to our customers. When we return your pistol, we also will send you a FREE magazine as a "thank you" for your patience and cooperation.



In order to ensure correct fitting, the new parts must be installed at our Ruger® factory in Prescott, Arizona. We will remove the old parts and install the new trigger group promptly, at no charge, and will return the pistol to you. The old parts will not be returned. Visit www.RUGER.COM/SR9RECALL for more information.

For additional product, safety or service information, please visit WWW.RUGER.COM

AN IMPORTANT FREE SAFETY OFFER FROM RUGER®:

Do you own an "old model" (pre-1973) Ruger® Single-Six®, Blackhawk®, Super Blackhawk®, or Bearcat® single-action revolver like these?



Three frame screws identify the "old model" Single-Six®, Blackhawk®, and Super Blackhawk® made from 1953 to 1972.



Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972.

Three frame screws identify the "old model" Single-Six®, Blackhawk®, and Super Blackhawk® made from 1953 to 1972. Serial numbers below 93-00000 identify old Bearcat® and Super Bearcat® models made from 1958-1972.

The patented Ruger® Conversion Kit is an entirely new operating system for these revolvers. ***It can help prevent accidental discharges caused by a drop or blow to the hammer if the user has failed to take the basic safety precaution of keeping the hammer down on an empty chamber. That's very important!***

This mechanism can be factory-installed without any further alteration. The frame and other major parts will not be affected by this conversion. The value of the gun will not be impaired, and we will return your original parts for collector's purposes.

To receive a free factory safety conversion, write to us at Sturm, Ruger and Company, Inc.; 411 Sunapee Street Newport, NH 03773. We will provide you with a shipping container and instructions. You only pay initial shipping to our factory. We will cover all other charges including return shipping costs. Please write to us without delay if you have one of these guns, and tell your friends about the availability of this kit. Remember that the safest way to carry any older single-action revolver, regardless of manufacturer, is with the hammer down on an **empty** chamber.

PLEASE WRITE TO US AT:

Ruger® / Conversion Department / 411 Sunapee Street / Newport, NH 03773

For full details and a FREE shipping box. If your single-action revolver has the words "New Model," "Bisley," or "Vaquero" on the frame, this offer is not applicable.

NOTICE: Weights of all Ruger® firearms, and rifles in particular, may vary from published weight because of variations in wood density, bore size, barrel length and style. All weights specified in this catalog are approximate. All ammunition that appears in this catalog is shown actual size only when noted. Sturm, Ruger & Co., Inc. does not manufacture scopes, optics or lasers. Scopes, optics and lasers are not included with any firearm purchase unless specifically noted.

All specifications and prices are subject to change without notice. Sturm, Ruger & Co., Inc. reserves the right to change the prices, specifications, or availability of its products at any time without notice.

Typographic, photographic, and/or descriptive errors are subject to correction. We apologize for any inconvenience.

The following are trademarks of Sturm, Ruger & Co., Inc.: 10/22-FS, 22 Charger, 22/45, 22/45 RP, 77/357, Bisley, Gold Label, LC6, LC9, LCR-357, Mark II, Mark III, Model 96, P345D, P345PR, P85, P90, P91, P93, P94, P95, P97, Ruger 10/17, Ruger 77/50, Security-Six, Service-Six, Speed-Six, SR1911, SR40c, SR9c, SR-556C, SR22, Ruger 10/22 Takedown, Ruger 22/45 Lite, Ruger American Rifle, Power Bedding, Ruger Marksman Adjustable.

The following are registered trademarks of Sturm, Ruger & Co., Inc.: AC-556, Arms Makers For Responsible Citizens, 10/22, All-Weather, Bearcat, Blackhawk, BX-25, EAGLE R, EAGLE SR, GP100, Hard-R Logo, Hawkeye, LCP, LCR, M77, Mini Thirty, Mini-14, Old Army, P345, Redhawk, RUGER, Ruger Titanium, Ruger 77/17, Ruger 77/22, Ruger 77/44, Ruger SP101, Ruger Vaquero, Single-Six, Single-Ten, SR9, SR40, SR Design, SR-22, SR-556, SR-556E, Super Redhawk Alaskan, Target Grey, Sturm, Ruger logo.



RUGGED, RELIABLE FIREARMS

